



# nutritionDay November 2011 in CANADA

Dear participant, June 2012

Thank you for your participation in nutritionDay worldwide in November 2011 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	76
Number of patients on nutritionDay:	737
Number of patients completing Sheet 3a:	733
Number of patients completing Sheet 3b:	728

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on November 8<sup>th</sup> 2012. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Michael Hiesmayr

Karin Schindler

Johanna Tripamer



#### How to read the results

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

```
For example: number of patients on nutritionDay 2011 = 20
Fluid status (n):
dehydrated 4
```

**Explanation**: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2011.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2011 = 20

```
Weight loss within 3 months (n)
```

```
Yes 10

Category of weight decrease (n):

0-4 kg 4

5-8 kg 2

> 8 kg 1

not sure 2

missing 1
```

**Explanation:** 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)\*

Mean and standard deviation are displayed as follows:

```
For example: Weight (kg) 75 \pm 15
```

Median and range are displayed that way:

```
For example: LOS (days) 8 [5-15]
```



## I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Number of beds (n):		
Actual	30 ± 12	37 ± 50
Maximum	32 ± 12	38 ± 31
THE AITH COLOR	02 = 12	00 _ 01
Number of patients on the nutritionDay (n):		
Total	737	14207
Did not give consent	-	1205 (8.48%)
Needed help completing form	331 (44.9%)	8324 (58.6%)
Terminally ill	44 (5.97%)	988 (6.95%)
Specialities (n):		
Internal medicine / general	18 (23.7%)	115 (17.0%)
Internal medicine / gastroenterology and	2 (2.63%)	46 (6.78%)
hepatology	_ (2.0070)	(0.7.070)
Internal medicine / oncology (incl.	8 (10.5%)	76 (11.2%)
radiotherapy)	. ( ,	
Internal medicine / cardiology	5 (6.58%)	38 (5.60%)
Internal medicine / infectious diseases	-	8 (1.18%)
Internal medicine / geriatrics	4 (5.26%)	54 (7.96%)
Internal medicine / nephrology	2 (2.63%)	11 (1.62%)
Pediatrics	-	2 (0.29%)
Neurology	2 (2.63%)	26 (3.83%)
Psychiatry	-	4 (0.59%)
Ear Nose Throat (ENT)	1 (1.32%)	18 (2.65%)
General surgery	6 (7.89%)	111 (16.4%)
Cardiothoracic surgery	2 (2.63%)	17 (2.51%)
Orthopedic surgery	6 (7.89%)	39 (5.75%)
Trauma	1 (1.32%)	7 (1.03%)
Neurosurgery	2 (2.63%)	11 (1.62%)
Gynecology	1 (1.32%)	8 (1.18%)
Long-term-care	2 (2.63%)	6 (0.88%)
Others	14 (18.4%)	81 (11.9%)
Staff /Staff per patient (n):		
Physicians	8.16 ± 7.62	6.98 ± 10.34
Physicians per patient	$0.26 \pm 0.25$	$0.21 \pm 0.27$
Consultants	4.28 ± 5.50	$3.16 \pm 6.27$
Consultants per patient	$0.15 \pm 0.22$	$0.10 \pm 0.21$
Registrars	$2.60 \pm 4.91$	$2.59 \pm 4.52$
Registrars per patient	$0.09 \pm 0.17$	$0.08 \pm 0.17$
Nurses	9.88 ± 8.95	9.92 ± 15.04
Nurses per patient	0.31 ± 0.25	$0.27 \pm 0.22$
Nursing aides	1.84 ± 2.01	$2.78 \pm 4.15$
rialising alacs	1.04 I Z.U I	Z.10 ± 4.13

Nursing aides per patient	0.06 ± 0.10	0.08 ± 0.14
Dieticians and dietetic assistants	1.99 ± 1.03	1.20 ± 2.07
Dieticians and dietetic assistants per pat.	$0.07 \pm 0.06$	$0.06 \pm 0.57$
Nutrition Care:		
Nutrition Team	45 units (59%) Yes	476 units (70%) Yes
Written procedures		
- individual	67 units (88%) Yes	421 units (62%) Yes
- local	34 units (45%) Yes	261 units (38%) Yes
- national	42 units (55%) Yes	234 units (35%) Yes
- other	24 units (32%) Yes	105 units (15%) Yes
Patients' weight assessed:		
On admission	51 units (67%) Yes	484 units (71%) Yes
When requested	54 units (71%) Yes	385 units (57%) Yes
Once a week	22 units (29%) Yes	249 units (37%) Yes
Occasionally	5 units (07%) Yes	59 units (09%) Yes
Never	2 units (03%) Yes	18 units (03%) Yes

### II. YOUR PATIENTS ("Sheet 2"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Number of patients (n):		
Total	737	14207
Patients who completed sheet 3a	733 (99.5%)	12770 (89.9%)
Patients who completed sheet 3b	728 (98.8%)	12319 (86.7%)
Demographic data:		
Age (years)	65 [16-100]	67 [2-105]
Female gender	361 (49.0%)	6921 (48.7%)
Weight (kg)	76.4 ± 21.2	69.6 ± 21.0
Height (cm)	$167.6 \pm 10.5$	165.2 ± 14.5
BMI (kg/m²)	27.1 ± 7.0	$25.4 \pm 6.1$
ICU-stay:		
Any ICU-stay	77 (10.4%)	1412 (9.94%)
Surgery (n):		
Preoperative patients	47 (6.38%)	1251 (8.81%)
Postoperative patients	272 (36.9%)	3671 (25.8%)
Length of stay in Hospital (days):	17 [2-282]	14 [1-1846]
Outcome after 30 days (n):		
Still in hospital	84 (11.4%)	1726 (12.1%)
Transferred to another hospital	16 (2.17%)	390 (2.75%)
Transferred to long-term care	24 (3.26%)	578 (4.07%)
Rehabilitation	24 (3.26%)	366 (2.58%)
Discharge home	337 (45.7%)	9755 (68.7%)
Death	14 (1.90%)	576 (4.05%)
Others	5 (0.68%)	204 (1.44%)
Missing	233 (31.6%)	612 (4.31%)
Readmitted (n):	47 (6.38%)	1497 (10.5%)

Results in percent referring to the total number of patients



## II. YOUR PATIENTS ("Sheet 2"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	13 (1.76%) 13 (1.76%) 4 (0.54%) 313 (42.5%) 61 (8.28%) 442 (60.0%) 50 (6.78%) 11 (1.49%)	1136 (8.00%) 640 (4.50%) 140 (0.99%) 3640 (25.6%) 1363 (9.59%) 8154 (57.4%) 778 (5.48%) 587 (4.13%)
Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	564 (76.5%) 30 (4.07%) 9 (1.22%) 134 (18.2%)	9416 (66.3%) 1055 (7.43%) 326 (2.29%) 3410 (24.0%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	111 (15.1%) 25 (3.39%) 16 (2.17%) 209 (28.4%) 117 (15.9%) 60 (8.14%) 170 (23.1%) 152 (20.6%) 90 (12.2%) 197 (26.7%) 86 (11.7%) 34 (4.61%) 2 (0.27%) 151 (20.5%) 68 (9.23%) 56 (7.60%) 3 (0.41%)	1926 (13.6%) 304 (2.14%) 388 (2.73%) 2647 (18.6%) 1961 (13.8%) 913 (6.43%) 3161 (22.2%) 1689 (11.9%) 1059 (7.45%) 2359 (16.6%) 851 (5.99%) 466 (3.28%) 180 (1.27%) 3064 (21.6%) 1078 (7.59%) 36 (0.25%) 1007 (7.09%) 590 (4.15%)
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	175 (23.7%) 58 (7.87%) 56 (7.60%) 48 (6.51%) 167 (22.7%) 378 (51.3%) 172 (23.3%)	2566 (18.1%) 798 (5.62%) 883 (6.22%) 591 (4.16%) 1735 (12.2%) 5325 (37.5%) 5505 (38.7%)

Results in percent referring to the total number of patients



## III. YOUR PATIENTS ("Sheet 3a"):

Weight loss within the last 3 months (n):         Total of patients answering         724 (98.8%)         12269 (96.1%)           Yes         339 (46.2%)         56.61 (44.3%)           No         281 (38.3%)         4.08 (36.3%)           No, I've gained weight         64 (8.73%)         1067 (8.36%)           I don't know         40 (5.46%)         903 (7.07%)           Category of weight decrease (n):           Patients reporting weight loss         339 (46.2%)         5661 (44.3%)           0.4 kg         123 (16.8%)         2538 (19.9%)           5.8 kg         60 (8.19%)         1045 (8.18%)           > 8 kg         109 (14.9%)         1423 (11.1%)           Not sure         46 (6.28%)         576 (4.51%)           Missing         1 (0.14%)         79 (0.62%)           "How well have you eaten during the last week?"(n):           Normal         266 (36.3%)         6081 (47.6%)           A bit less than normal         184 (25.1%)         2575 (20.2%)           Less than half of normal         157 (21.4%)         1838 (14.4%)           Less than a quarter to nearly nothing         116 (15.8%)         1716 (13.4%)           Missing         40 (5.46%)         6007 (47.6%)           Loss of appetite         <		678 units, 14207 patients	
Total of patients answering Yes 339 (46.2%) 12269 (96.1%) Yes 339 (46.2%) 5661 (44.3%) No, I've gained weight 64 (8.73%) 1067 (8.36%) I don't know 40 (5.46%) 903 (7.07%)  Category of weight decrease (n): Patients reporting weight loss 0.4 kg 123 (16.8%) 2538 (19.9%) 5-8 kg 60 (8.19%) 104 (8.18%) 2538 (19.9%) 5-8 kg 109 (14.9%) 11423 (11.1%) Not sure 46 (6.28%) 576 (4.51%) Whissing 10 (1.14%) 79 (0.62%)  "How well have you eaten during the last week?" (n): Normal A bit less than normal Less than half of normal Less than half of normal 157 (21.4%) 1838 (14.4%) Less than a quarter to nearly nothing 116 (15.8%) 1716 (13.4%) Missing 126 (36.3%) 6075 (47.6%) Loss of appetite 232 (31.7%) 3243 (25.4%) Problems with swallowing, mastication A basistance?" (n):  "Can you walk without assistance?" (n): Yes No, only with assistance "Can you walk without assistance?" (n): Yes No, only with assistance 1295 (40.2%) 1323 (26.0%) No, I stay in bed 71 (9.69%) 1417 (11.1%) Missing 7 (0.95%)  "In general would you say your health is "(n): Excellent Good 103 (14.1%) 852 (6.67%) Very good 110 (2.99%) 3898 (30.5%) Fair 228 (31.1%) 4501 (35.2%) Missing 17 (2.32%) 635 (4.97%)		YOUR RESULTS	REFERENCE ND-11
Total of patients answering Yes 339 (46.2%) 12269 (96.1%) Yes 339 (46.2%) 5661 (44.3%) No, I've gained weight 164 (8.73%) 1067 (8.36%) No, I've gained weight 160n't know 1067 (8.36%) 1067 (8.36%) 1067 (8.36%) 107.07%)  Category of weight decrease (n): Patients reporting weight loss 339 (46.2%) 5661 (44.3%) 0-4 kg 123 (16.8%) 558 kg 60 (8.19%) 1045 (8.18%) 8 kg 109 (14.9%) 11423 (11.1%) Not sure 46 (6.28%) 576 (4.51%) Missing 10 (1.14%) 79 (0.62%)  "How well have you eaten during the last week?"(n): Normal A bit less than normal Less than half of normal 157 (21.4%) 1838 (14.4%) Less than a quarter to nearly nothing 116 (15.8%) 1716 (13.4%) Missing 126 (36.0%) 6075 (47.6%) Loss of appetite 232 (31.7%) 3243 (25.4%) Problems with swallowing, mastication A lotter reasons 236 (32.2%) 2325 (18.2%)  "Can you walk without assistance?"(n): Yes No, only with assistance 1295 (40.2%) No, I stay in bed 71 (9.69%) 1417 (11.1%) Missing 7 (0.95%) 460 (3.60%)  "In general would you say your health is "(n): Excellent 200 (31.1%) 228 (31.1%) 245 (49.9%) A bitsing 254 (31.9%) 255 (40.9%) 3898 (30.5%) Fair 228 (31.1%) 4501 (32.2%) 2543 (19.9%) Missing 17 (2.32%) 635 (4.97%) Missing 17 (2.32%) 635 (4.97%)			
Yes         339 (46.2%)         5661 (44.3%)           No         281 (38.3%)         4638 (36.3%)           No, I ve gained weight         64 (8.73%)         1067 (8.36%)           I don't know         40 (5.46%)         903 (7.07%)           Category of weight decrease (n):           Patients reporting weight loss         339 (46.2%)         5661 (44.3%)           0-4 kg         123 (16.8%)         2538 (19.9%)           5-8 kg         60 (8.19%)         1045 (8.18%)           5-8 kg         109 (14.9%)         1423 (11.1%)           Not sure         46 (6.28%)         576 (4.51%)           Missing         1 (0.14%)         79 (0.62%)           "How well have you eaten during the last week?"(n):           Normal         266 (36.3%)         6081 (47.6%)           A bit less than normal         184 (25.1%)         2575 (20.2%)           Less than half of normal         157 (21.4%)         1838 (14.4%)           Less than a quarter to nearly nothing         116 (15.8%)         1716 (13.4%)           Missing         462 (63.0%)         6075 (47.6%)           Loss of appetitie         232 (31.7%)         3243 (25.4%)           Problems with swallowing, mastication         40 (5.46%)         609 (4	<del>-</del>	724 (00 00/)	12270 (07 107)
No, I've gained weight		•	· · · · · · · · · · · · · · · · · · ·
No, I've gained weight I don't know 40 (5.46%) 903 (7.07%)  Category of weight decrease (n): Patients reporting weight loss 339 (46.2%) 5661 (44.3%) 0-4 kg 123 (16.8%) 2538 (19.9%) 5-8 kg 60 (8.19%) 1045 (8.18%) 8 kg 109 (14.9%) 1423 (11.1%) Not sure 46 (6.28%) 576 (4.51%) Missing 1 (0.14%) 79 (0.62%)  "How well have you eaten during the last week?" (n): Normal 266 (36.3%) 6081 (47.6%) 2575 (20.2%) Less than half of normal 157 (21.4%) 1838 (14.4%) Less than na quarter to nearly nothing 116 (15.8%) 1716 (13.4%) Missing 10 (1.36%) 560 (4.39%)  "I ate less because" (n)*: Total of patients answering 462 (63.0%) 6075 (47.6%) Loss of appetite 232 (31.7%) 3243 (25.4%) Problems with swallowing, mastication 40 (5.46%) 609 (4.77%) Nausea 78 (10.6%) 1074 (8.41%) Other reasons 236 (32.2%) 2325 (18.2%)  "Can you walk without assistance?" (n): Yes 360 (49.1%) 7570 (59.3%) No, only with assistance 295 (40.2%) 3323 (26.0%) No, Istay in bed 71 (9.69%) 1417 (11.1%) Missing 7 (0.95%) 460 (3.60%)  "In general would you say your health is" (n): Excellent 21 (2.86%) 341 (2.67%) Kory good 219 (29.9%) 3898 (30.5%) Fair 228 (31.1%) 4501 (35.2%) Poor 145 (19.8%) 2543 (19.9%) Missing 17 (2.32%) 635 (4.97%)		•	, ,
Category of weight decrease (n):         Value of the company of		,	•
Category of weight decrease (n):         Patients reporting weight loss       339 (46.2%)       5661 (44.3%)         0-4 kg       123 (16.8%)       2538 (19.9%)         5-8 kg       60 (8.19%)       1045 (8.18%)         > 8 kg       109 (14.9%)       1423 (11.1%)         Not sure       46 (6.28%)       576 (4.51%)         Missing       1 (0.14%)       79 (0.62%)         "How well have you eaten during the last week?"(n):         Normal       266 (36.3%)       6081 (47.6%)         A bit less than normal       184 (25.1%)       2575 (20.2%)         Less than half of normal       157 (21.4%)       1838 (14.4%)         Less than a quarter to nearly nothing       116 (15.8%)       1716 (13.4%)         Missing       10 (1.36%)       560 (4.39%)         "I ate less because"(n)*:         Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):		` '	•
Patients reporting weight loss 0-4 kg 123 (16.8%) 2538 (19.9%) 5-8 kg 60 (8.19%) 1045 (8.18%) 258 (19.9%) 5-8 kg 109 (14.9%) 1423 (11.1%) Not sure 46 (6.28%) 576 (4.51%) Missing 1 (0.14%) 79 (0.62%)  "How well have you eaten during the last week?" (n):  Normal 266 (36.3%) 40 (818%) 2575 (20.2%)  "How well have you eaten during the last week?" (n):  Normal 266 (36.3%) 40 (8147.6%) 40 bit less than normal 418 (25.1%) 42575 (20.2%) Less than half of normal 457 (21.4%) 458 (15.8%) 457 (21.4%) 458 (14.3%) Missing 116 (15.8%) 1716 (13.4%) Missing 116 (15.8%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1717 (13.4%) 1718 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1710 (13.4%) 1711 (11.1%) 1711 (11.1%) 1711 (11.1%) 1711 (11.1%) 1711 (11.1%) 1711 (13.4%) 1711	I don't know	40 (5.46%)	903 (7.07%)
Patients reporting weight loss 0-4 kg 123 (16.8%) 2538 (19.9%) 5-8 kg 60 (8.19%) 1045 (8.18%) 258 (19.9%) 5-8 kg 109 (14.9%) 1423 (11.1%) Not sure 46 (6.28%) 576 (4.51%) Missing 1 (0.14%) 79 (0.62%)  "How well have you eaten during the last week?" (n):  Normal 266 (36.3%) 40 (818%) 2575 (20.2%)  "How well have you eaten during the last week?" (n):  Normal 266 (36.3%) 40 (8147.6%) 40 bit less than normal 418 (25.1%) 42575 (20.2%) Less than half of normal 457 (21.4%) 458 (15.8%) 457 (21.4%) 458 (14.3%) Missing 116 (15.8%) 1716 (13.4%) Missing 116 (15.8%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1717 (13.4%) 1718 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1719 (13.4%) 1710 (13.4%) 1711 (11.1%) 1711 (11.1%) 1711 (11.1%) 1711 (11.1%) 1711 (11.1%) 1711 (13.4%) 1711	Category of weight decrease (n):		
0-4 kg       123 (16.8%)       2538 (19.9%)         5-8 kg       60 (8.19%)       1045 (8.18%)         Not sure       46 (6.28%)       576 (4.51%)         Missing       1 (0.14%)       79 (0.62%)         "How well have you eaten during the last week?"(n):         Normal       266 (36.3%)       6081 (47.6%)         A bit less than normal       184 (25.1%)       2575 (20.2%)         Less than half of normal       157 (21.4%)       1838 (14.4%)         Less than a quarter to nearly nothing       116 (15.8%)       1716 (13.4%)         Missing       10 (1.36%)       560 (4.39%)         "I ate less because"(n)*:         Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%) </td <td></td> <td>339 (46.2%)</td> <td>5661 (44.3%)</td>		339 (46.2%)	5661 (44.3%)
5-8 kg		•	•
> 8 kg Not sure Not sure A6 (6.28%) S76 (4.51%) Missing 1 (0.14%) 7 (0.62%)  "How well have you eaten during the last week?"(n): Normal A bit less than normal Less than half of normal Less than half of normal Less than a quarter to nearly nothing Missing 116 (15.8%) 1716 (13.4%) Missing 116 (15.8%) 1716 (13.4%) Missing 116 (15.8%) 6075 (47.6%) 10 (1.36%) 10 (1.36%) 10 (1.36%) 10 (1.36%) 10 (1.36%) 10 (1.36%) 10	S .		
Not sure Missing         46 (6.28%) 1 (0.14%)         576 (4.51%) 79 (0.62%)           "How well have you eaten during the last week?" (n):         "How well have you eaten during the last week?" (n):           Normal         266 (36.3%) 6081 (47.6%)           A bit less than normal         184 (25.1%) 2575 (20.2%)           Less than half of normal         157 (21.4%) 1838 (14.4%)           Less than a quarter to nearly nothing         116 (15.8%) 1716 (13.4%)           Missing         10 (1.36%) 560 (4.39%)           "I ate less because" (n)*:         ***           Total of patients answering         462 (63.0%) 6075 (47.6%)           Loss of appetite         232 (31.7%) 3243 (25.4%)           Problems with swallowing, mastication         40 (5.46%) 609 (4.77%)           Nausea         78 (10.6%) 1074 (8.41%)           Other reasons         236 (32.2%) 2325 (18.2%)           "Can you walk without assistance?" (n):         **           Yes         360 (49.1%) 7570 (59.3%)           No, only with assistance         295 (40.2%) 3323 (26.0%)           No, I stay in bed         71 (9.69%) 1417 (11.1%)           Missing         7 (0.95%) 460 (3.60%)           "In general would you say your health is" (n):           Excellent         21 (2.86%) 341 (2.67%)           Good         103 (14.1%) 852 (6.		•	` ,
Missing       1 (0.14%)       79 (0.62%)         "How well have you eaten during the last week?"(n):         Normal       266 (36.3%)       6081 (47.6%)         A bit less than normal       184 (25.1%)       2575 (20.2%)         Less than half of normal       157 (21.4%)       1838 (14.4%)         Less than a quarter to nearly nothing       116 (15.8%)       1716 (13.4%)         Missing       10 (1.36%)       560 (4.39%)         "I ate less because"(n)*:       **         Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is"(n):         Excellent       21 (2.86%)<			
week?"(n):           Normal         266 (36.3%)         6081 (47.6%)           A bit less than normal         184 (25.1%)         2575 (20.2%)           Less than half of normal         157 (21.4%)         1838 (14.4%)           Less than a quarter to nearly nothing         116 (15.8%)         1716 (13.4%)           Missing         10 (1.36%)         560 (4.39%)           "I ate less because"(n)*:         ***           Total of patients answering         462 (63.0%)         6075 (47.6%)           Loss of appetite         232 (31.7%)         3243 (25.4%)           Problems with swallowing, mastication         40 (5.46%)         609 (4.77%)           Nausea         78 (10.6%)         1074 (8.41%)           Other reasons         236 (32.2%)         2325 (18.2%)           "Can you walk without assistance?"(n):         ***           Yes         360 (49.1%)         7570 (59.3%)           No, only with assistance         295 (40.2%)         3323 (26.0%)           No, I stay in bed         71 (9.69%)         1417 (11.1%)           Missing         7 (0.95%)         460 (3.60%)           "In general would you say your health is"(n):         Excellent         21 (2.86%)         341 (2.67%)           Good         103 (14.1%) <td< td=""><td>Missing</td><td>•</td><td></td></td<>	Missing	•	
week?"(n):           Normal         266 (36.3%)         6081 (47.6%)           A bit less than normal         184 (25.1%)         2575 (20.2%)           Less than half of normal         157 (21.4%)         1838 (14.4%)           Less than a quarter to nearly nothing         116 (15.8%)         1716 (13.4%)           Missing         10 (1.36%)         560 (4.39%)           "I ate less because"(n)*:         ***           Total of patients answering         462 (63.0%)         6075 (47.6%)           Loss of appetite         232 (31.7%)         3243 (25.4%)           Problems with swallowing, mastication         40 (5.46%)         609 (4.77%)           Nausea         78 (10.6%)         1074 (8.41%)           Other reasons         236 (32.2%)         2325 (18.2%)           "Can you walk without assistance?"(n):         ***           Yes         360 (49.1%)         7570 (59.3%)           No, only with assistance         295 (40.2%)         3323 (26.0%)           No, I stay in bed         71 (9.69%)         1417 (11.1%)           Missing         7 (0.95%)         460 (3.60%)           "In general would you say your health is"(n):         Excellent         21 (2.86%)         341 (2.67%)           Good         103 (14.1%) <td< td=""><td></td><td></td><td></td></td<>			
Normal       266 (36.3%)       6081 (47.6%)         A bit less than normal       184 (25.1%)       2575 (20.2%)         Less than half of normal       157 (21.4%)       1838 (14.4%)         Less than a quarter to nearly nothing       116 (15.8%)       1716 (13.4%)         Missing       10 (1.36%)       560 (4.39%)         "I ate less because" (n)*:       ***         Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?" (n):       **         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)			
A bit less than normal Less than half of normal Less than half of normal Less than a quarter to nearly nothing Missing  "I ate less because" (n)*: Total of patients answering Loss of appetite Problems with swallowing, mastication Nausea  "Can you walk without assistance?" (n): Yes No, only with assistance No, I stay in bed No, I stay in bed Missing  "In general would you say your health is" (n): Excellent Good Very good Fair Poor Missing  184 (25.1%) 2575 (20.2%) 1838 (14.4%) 1838 (14.4%) 1838 (14.4%) 1838 (14.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 1716 (13.4%) 172 (13.4%) 173 (13.4%) 174 (13.4%) 175 (20.2%) 175 (20.2%) 175 (20.2%) 176 (13.4%) 177 (2.32%) 178 (13.4%) 177 (2.32%) 178 (13.4%) 178 (13.4%) 178 (13.4%) 178 (13.4%) 179 (2.32%) 179 (2.22%) 1838 (14.4%) 1716 (13		266 (36.3%)	6081 (47.6%)
Less than half of normal       157 (21.4%)       1838 (14.4%)         Less than a quarter to nearly nothing       116 (15.8%)       1716 (13.4%)         Missing       10 (1.36%)       560 (4.39%)         "I ate less because"(n)*:         Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is"(n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32			· · · · · · · · · · · · · · · · · · ·
Less than a quarter to nearly nothing       116 (15.8%)       1716 (13.4%)         Missing       10 (1.36%)       560 (4.39%)         "I ate less because" (n)*:         Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is"(n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)			
Missing       10 (1.36%)       560 (4.39%)         "I ate less because" (n)*:       Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?" (n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)		•	•
Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):       ***         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         *"In general would you say your health is" (n):       ***       ***         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	·	•	
Total of patients answering       462 (63.0%)       6075 (47.6%)         Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):       ***         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         *"In general would you say your health is" (n):       ***       ***         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	#Laka laga laga ang ###		
Loss of appetite       232 (31.7%)       3243 (25.4%)         Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):       ***         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       ***         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	• •	4/2//200/)	(075 (47 (0/)
Problems with swallowing, mastication       40 (5.46%)       609 (4.77%)         Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	·	•	· · · · · · · · · · · · · · · · · · ·
Nausea       78 (10.6%)       1074 (8.41%)         Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):       ***         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       ***         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	• •	'	, ,
Other reasons       236 (32.2%)       2325 (18.2%)         "Can you walk without assistance?"(n):       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is"(n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	_	•	· · · · · · · · · · · · · · · · · · ·
"Can you walk without assistance?"(n):         Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)		,	•
Yes       360 (49.1%)       7570 (59.3%)         No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       21 (2.86%)       341 (2.67%)         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	Other reasons	236 (32.2%)	2325 (18.2%)
No, only with assistance       295 (40.2%)       3323 (26.0%)         No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       21 (2.86%)       341 (2.67%)         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	"Can you walk without assistance?"(n):		
No, I stay in bed       71 (9.69%)       1417 (11.1%)         Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       21 (2.86%)       341 (2.67%)         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	Yes	360 (49.1%)	7570 (59.3%)
Missing       7 (0.95%)       460 (3.60%)         "In general would you say your health is" (n):       21 (2.86%)       341 (2.67%)         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	No, only with assistance	295 (40.2%)	3323 (26.0%)
"In general would you say your health is" (n):         Excellent       21 (2.86%)       341 (2.67%)         Good       103 (14.1%)       852 (6.67%)         Very good       219 (29.9%)       3898 (30.5%)         Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)	No, I stay in bed	71 (9.69%)	1417 (11.1%)
Excellent21 (2.86%)341 (2.67%)Good103 (14.1%)852 (6.67%)Very good219 (29.9%)3898 (30.5%)Fair228 (31.1%)4501 (35.2%)Poor145 (19.8%)2543 (19.9%)Missing17 (2.32%)635 (4.97%)	Missing	7 (0.95%)	460 (3.60%)
Excellent21 (2.86%)341 (2.67%)Good103 (14.1%)852 (6.67%)Very good219 (29.9%)3898 (30.5%)Fair228 (31.1%)4501 (35.2%)Poor145 (19.8%)2543 (19.9%)Missing17 (2.32%)635 (4.97%)	"In general would you say your health is" (n):		
Good103 (14.1%)852 (6.67%)Very good219 (29.9%)3898 (30.5%)Fair228 (31.1%)4501 (35.2%)Poor145 (19.8%)2543 (19.9%)Missing17 (2.32%)635 (4.97%)		21 (2.86%)	341 (2 67%)
Very good219 (29.9%)3898 (30.5%)Fair228 (31.1%)4501 (35.2%)Poor145 (19.8%)2543 (19.9%)Missing17 (2.32%)635 (4.97%)		•	
Fair       228 (31.1%)       4501 (35.2%)         Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)		` '	, ,
Poor       145 (19.8%)       2543 (19.9%)         Missing       17 (2.32%)       635 (4.97%)		,	· · · · · · · · · · · · · · · · · · ·
Missing 17 (2.32%) 635 (4.97%)			· · · · · · · · · · · · · · · · · · ·
		•	· · · · · · · · · · · · · · · · · · ·
	S .	•	· · · · · · · · · · · · · · · · · · ·



## III. YOUR PATIENTS ("Sheet 3b"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	415 (56.6%)	7557 (59.2%)
No	259 (35.3%)	3941 (30.9%)
- I was not hungry	126 (48.6%)	1936 (49.1%)
<ul> <li>Problems with swallowing / mastication</li> </ul>	15 (5.79%)	326 (8.27%)
- Nausea	48 (18.5%)	671 (17.0%)
- Others	87 (33.6%)	969 (24.6%)
no answer	54 (7.37%)	821 (6.43%)
Fluid and supplement intake (n):		
Patients with fluid intake	589 (80.9%)	9318 (75.6%)
Drinks per patient & day (I)	0.35	0.55
Patients with supplements	113 (15.5%)	1147 (9.31%)
Supplements per patient & day (I)	0.03	0.04
"What kind of drinks did you consume?" (n)*:		
Water	361 (49.6%)	7925 (64.3%)
Milk	253 (34.8%)	2062 (16.7%)
Fruit juice	294 (40.4%)	3006 (24.4%)
Tea, coffee	365 (50.1%)	4583 (37.2%)
Soft drinks	42 (5.77%)	746 (6.06%)
Lunch intake (n):		
All	267 (36.7%)	5174 (42.0%)
1/2	194 (26.6%)	3053 (24.8%)
1/4	139 (19.1%)	1890 (15.3%)
Nothing	119 (16.3%)	1954 (15.9%)
? No answer	9 (1.24%)	248 (2.01%)
	7 (1.1=1.70)	(,
"I did not eat everything because" (n)*:		
I was not hungry	138 (29.9%)	2066 (28.9%)
I had nausea / vomiting	45 (9.76%)	685 (9.59%)
I was not allowed to eat	43 (9.33%)	702 (9.83%)
I kann not eat without help	4 (0.87%)	104 (1.46%)
I had an examination / surgery	16 (3.47%)	553 (7.74%)
I ordered a smaller portion	4 (0.87%)	136 (1.90%)
I was tired	36 (7.81%)	434 (6.07%)
I normaly eat less	34 (7.38%)	584 (8.17%)
I did not like the smell	28 (6.07%)	275 (3.85%)
I did not like the taste	105 (22.8%)	945 (13.2%)



"Do you eat any food apart from hospital food?" (n):		
Yes	329 (44.9%)	4578 (35.8%)
No	352 (48.0%)	7056 (55.3%)
No answer	47 (6.41%)	685 (5.36%)
"What do you eat?" (n)*:		
Cakes, biscuits	74 (22.5%)	1312 (28.7%)
Fresh fruits	123 (37.4%)	1918 (41.9%)
Sandwiches	47 (14.3%)	396 (8.65%)
Dairy products	44 (13.4%)	650 (14.2%)
Preferred dish	52 (15.8%)	522 (11.4%)
Sweets	69 (21.0%)	699 (15.3%)
Fruit Juice	41 (12.5%)	870 (19.0%)
Others	138 (41.9%)	901 (19.7%)
"Did you need help to complete the questionnaire?" (according to patient) (n):	440 (54 004)	
Yes	413 (56.3%)	8581 (67.2%)

Results referring to the total number of completed questionnaires

