



nutritionDay November 2011 in FINLAND

Dear participant, June 2012

Thank you for your participation in nutritionDay worldwide in November 2011 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	2
Number of patients on nutritionDay:	58
Number of patients completing Sheet 3a:	23
Number of patients completing Sheet 3b:	23

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on November 8th 2012. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Michael Hiesmayr

Karin Schindler

Johanna Tripamer



How to read the results

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

```
For example: number of patients on nutritionDay 2011 = 20
Fluid status (n):
dehydrated 4
```

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2011.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2011 = 20

```
Weight loss within 3 months (n)
```

```
Yes 10

Category of weight decrease (n):

0-4 kg 4

5-8 kg 2

> 8 kg 1

not sure 2

missing 1
```

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows:

```
For example: Weight (kg) 75 \pm 15
```

Median and range are displayed that way:

```
For example: LOS (days) 8 [5-15]
```



I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Number of beds (n):		
Actual	31 ± 5	37 ± 50
Maximum	31 ± 5	38 ± 31
Number of patients on the nutritionDay (n):		
Total	58	14207
Did not give consent	2 (3.45%)	1205 (8.48%)
Needed help completing form	23 (39.7%)	8324 (58.6%)
Terminally ill	8 (13.8%)	988 (6.95%)
Specialities (n):		
Internal medicine / general	-	115 (17.0%)
Internal medicine / gastroenterology and	-	46 (6.78%)
hepatology		
Internal medicine / oncology (incl.	-	76 (11.2%)
radiotherapy)		20 (5 (00/)
Internal medicine / cardiology Internal medicine / infectious diseases	-	38 (5.60%)
	1 (50.0%)	8 (1.18%) 54 (7.96%)
Internal medicine / geriatrics Internal medicine / nephrology	1 (50.0%)	11 (1.62%)
Pediatrics	_	2 (0.29%)
Neurology	1 (50.0%)	26 (3.83%)
Psychiatry	-	4 (0.59%)
Ear Nose Throat (ENT)	-	18 (2.65%)
General surgery	-	111 (16.4%)
Cardiothoracic surgery	-	17 (2.51%)
Orthopedic surgery	-	39 (5.75%)
Trauma	-	7 (1.03%)
Neurosurgery	-	11 (1.62%)
Gynecology	-	8 (1.18%)
Long-term-care	-	6 (0.88%)
Others	-	81 (11.9%)
Staff /Staff per patient (n):		
Physicians	2.00 ± 0.00	6.98 ± 10.34
Physicians per patient	0.07 ± 0.01	0.21 ± 0.27
Consultants	0.50 ± 0.71	3.16 ± 6.27
Consultants per patient	0.01 ± 0.02	0.10 ± 0.21
Registrars	0.00	2.59 ± 4.52
Registrars per patient	0.00	0.08 ± 0.17
Nurses	3.50 ± 0.71	9.92 ± 15.04
Nurses per patient	0.12 ± 0.04	0.27 ± 0.22
Nursing aides	6.00 ± 1.41	2.78 ± 4.15



Nursing aides per patient	0.20 ± 0.01	0.08 ± 0.14
Dieticians and dietetic assistants	1.00 ± 0.00	1.20 ± 2.07
Dieticians and dietetic assistants per pat.	0.03 ± 0.01	0.06 ± 0.57
Nutrition Care:		
Nutrition Team	1 units (50%) Yes	476 units (70%) Yes
Written procedures		
- individual	2 units (100%) Yes	421 units (62%) Yes
- local	1 units (50%) Yes	261 units (38%) Yes
- national	1 units (50%) Yes	234 units (35%) Yes
- other	- units (00%) Yes	105 units (15%) Yes
Patients' weight assessed:		
On admission	2 units (100%) Yes	484 units (71%) Yes
When requested	• •	385 units (57%) Yes
Once a week	` '	249 units (37%) Yes
Occasionally	` '	59 units (09%) Yes
Never	` '	18 units (03%) Yes
INCVCI	units (0070) 163	10 driits (0370) 163

II. YOUR PATIENTS ("Sheet 2"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Number of patients (n): Total Patients who completed sheet 3a	58 23 (39.7%)	14207 12770 (89.9%)
Patients who completed sheet 3a Patients who completed sheet 3b	23 (39.7%)	12319 (86.7%)
Demographic data: Age (years) Female gender	80 [44-95] 26 (44.8%)	67 [2-105] 6921 (48.7%)
Weight (kg) Height (cm) BMI (kg/m²)	71.0 ± 15.8 168.6 ± 10.8 24.9 ± 3.7	69.6 ± 21.0 165.2 ± 14.5 25.4 ± 6.1
ICU-stay: Any ICU-stay	5 (8.62%)	1412 (9.94%)
Surgery (n): Preoperative patients Postoperative patients	- 7 (12.1%)	1251 (8.81%) 3671 (25.8%)
Length of stay in Hospital (days):	54 [20-271]	14 [1-1846]
Outcome after 30 days (n): Still in hospital Transferred to another hospital Transferred to long-term care Rehabilitation Discharge home Death Others Missing	35 (60.3%) 1 (1.72%) 8 (13.8%) 1 (1.72%) 5 (8.62%) 8 (13.8%)	1726 (12.1%) 390 (2.75%) 578 (4.07%) 366 (2.58%) 9755 (68.7%) 576 (4.05%) 204 (1.44%) 612 (4.31%)
Readmitted (n):	3 (5.17%)	1497 (10.5%)

Results in percent referring to the total number of patients



II. YOUR PATIENTS ("Sheet 2"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	1 (1.72%) 1 (1.72%) 1 (1.72%) 7 (12.1%) - 45 (77.6%) 3 (5.17%)	1136 (8.00%) 640 (4.50%) 140 (0.99%) 3640 (25.6%) 1363 (9.59%) 8154 (57.4%) 778 (5.48%) 587 (4.13%)
Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	3 (5.17%) - - 55 (94.8%)	9416 (66.3%) 1055 (7.43%) 326 (2.29%) 3410 (24.0%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	37 (63.8%) 2 (3.45%) 16 (27.6%) 3 (5.17%) 2 (3.45%) 5 (8.62%) 4 (6.90%) 2 (3.45%) 3 (5.17%) 2 (3.45%) 3 (5.17%)	1926 (13.6%) 304 (2.14%) 388 (2.73%) 2647 (18.6%) 1961 (13.8%) 913 (6.43%) 3161 (22.2%) 1689 (11.9%) 1059 (7.45%) 2359 (16.6%) 851 (5.99%) 466 (3.28%) 180 (1.27%) 3064 (21.6%) 1078 (7.59%) 36 (0.25%) 1007 (7.09%) 590 (4.15%)
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	12 (20.7%) 11 (19.0%) 6 (10.3%) 1 (1.72%) 7 (12.1%) 17 (29.3%) 19 (32.8%)	2566 (18.1%) 798 (5.62%) 883 (6.22%) 591 (4.16%) 1735 (12.2%) 5325 (37.5%) 5505 (38.7%)

Results in percent referring to the total number of patients



III. YOUR PATIENTS ("Sheet 3a"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
West billion (III to the lead of a continuous)		
Weight loss within the last 3 months (n):	22 (100%)	12240 (04 10/)
Total of patients answering	23 (100%)	12269 (96.1%)
Yes	9 (39.1%)	5661 (44.3%)
No	11 (47.8%)	4638 (36.3%)
No, I've gained weight	2 (8.70%)	1067 (8.36%)
I don't know	1 (4.35%)	903 (7.07%)
Category of weight decrease (n):		
Patients reporting weight loss	9 (39.1%)	5661 (44.3%)
0-4 kg	4 (17.4%)	2538 (19.9%)
5-8 kg	2 (8.70%)	1045 (8.18%)
> 8 kg	1 (4.35%)	1423 (11.1%)
Not sure	2 (8.70%)	576 (4.51%)
Missing	-	79 (0.62%)
"How well have you eaten during the last		
week?"(n): Normal	17 (72 0%)	6001 (17 6%)
A bit less than normal	17 (73.9%) 2 (8.70%)	6081 (47.6%)
Less than half of normal	` '	2575 (20.2%)
	1 (4.35%)	1838 (14.4%)
Less than a quarter to nearly nothing	2 (8.70%)	1716 (13.4%)
Missing	1 (4.35%)	560 (4.39%)
"I ate less because"(n)*:		
Total of patients answering	6 (26.1%)	6075 (47.6%)
Loss of appetite	5 (21.7%)	3243 (25.4%)
Problems with swallowing, mastication	- -	609 (4.77%)
Nausea	1 (4.35%)	1074 (8.41%)
Other reasons	1 (4.35%)	2325 (18.2%)
"Con you walk without assistance?"(n)		
"Can you walk without assistance?"(n):	7 (30.4%)	7570 (50 20/)
Yes	` ,	7570 (59.3%)
No, only with assistance	9 (39.1%)	3323 (26.0%)
No, I stay in bed	6 (26.1%)	1417 (11.1%)
Missing	1 (4.35%)	460 (3.60%)
"In general would you say your health is" (n):		
Excellent	-	341 (2.67%)
Good	-	852 (6.67%)
Very good	4 (17.4%)	3898 (30.5%)
Fair	13 (56.5%)	4501 (35.2%)
Poor	4 (17.4%)	2543 (19.9%)
Missing	2 (8.70%)	635 (4.97%)
Results in percent referring to the total number of	patients answering	



III. YOUR PATIENTS ("Sheet 3b"):

Hospital food intake:		678 units, 14207 patient	
No		YOUR RESULTS	REFERENCE ND-11
Yes 21 (91.3%) 7557 (59.2%) No 2 (8.70%) 3941 (30.9%) - I was not hungry 1 (50.0%) 1936 (49.1%) - Problems with swallowing / mastication - 326 (8.27%) - Nausea - 671 (17.0%) 969 (24.6%) - Others 1 (50.0%) 969 (24.6%) no answer 2 (91.3%) 9318 (75.6%) Patients with fluid intake (n): 21 (91.3%) 9318 (75.6%) Patients with supplement intake (n): 2 (87.0%) 1147 (9.31%) Supplements per patient & day (l) 0.26 0.55 Patients with supplements 2 (8.70%) 1147 (9.31%) Supplements per patient & day (l) 0.02 0.04 "What kind of drinks did you consume?" (n)*: ** Water 8 (34.8%) 7925 (64.3%) Milk 20 (87.0%) 2062 (16.7%) Fruit juice 2 (8.70%) 3006 (24.4%) Fae, coffee 2 (8.70%) 3006 (24.4%) Soft drinks 1 (9.9%) 30.6 (24.4%) Yea, coffee 9 (39.1%) 5174 (42.0%)	Hospital food intake:		
No	"Is your appetite normal?" (n):		
- I was not hungry - Problems with swallowing / mastication - Nausea - Others - Oth	Yes	21 (91.3%)	7557 (59.2%)
- I was not hungry - Problems with swallowing / mastication - Nausea - Others - Oth	No	2 (8.70%)	3941 (30.9%)
- Problems with swallowing / mastication - Nausea - Others - Othe	- I was not hungry		1936 (49.1%)
- Nausea - Others -	- Problems with swallowing / mastication	- -	326 (8.27%)
- Others no answer 1 (50.0%) 969 (24.6%) no answer - 821 (6.43%) Fluid and supplement intake (n): Patients with fluid intake 21 (91.3%) 9318 (75.6%) Drinks per patient & day (l) 0.26 0.55 Patients with supplements 2 (8.70%) 1147 (9.31%) Supplements per patient & day (l) 0.02 0.04 "What kind of drinks did you consume?" (n)*: Water 8 (34.8%) 7925 (64.3%) Milk 20 (87.0%) 2062 (16.7%) Fruit juice 2 (8.70%) 3006 (24.4%) Tea, coffee 2 (8.70%) 3006 (24.4%) Tea, coffee 3 4583 (37.2%) Soft drinks (n): Lunch intake (n): Lunch intake (n): All 9 (39.1%) 5174 (42.0%) 3053 (24.8%) 1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) 1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) 1954 (15.9%) 2 No answer 248 (2.01%) Nothing 1 (4.35%) 1954 (15.9%) 2 248 (2.01%) "I did not eat everything because" (n)*: Lwas not hungry 4 (28.6%) 2066 (28.9%) 1 had nausea / vomiting 5 2 685 (9.59%) 1 was not allowed to eat 702 (9.83%) 1 kann not eat without help 5 104 (1.46%) 1 had an examination / surgery 5 553 (7.74%) 1 ordered a smaller portion 5 275 (3.85%) 1 did not like the smell 1 (7.14%) 5 584 (8.17%) 1 did not like the smell 1 (7.14%) 5 584 (8.17%) 1 did not like the smell 1 (7.14%) 5 586 (8.17%)	_	-	
Fluid and supplement intake (n): Patients with fluid intake Drinks per patient & day (l) Drinks per patient & day (l) Drinks per patient & day (l) Supplements per patient & day (l) Supplements per patient & day (l) "What kind of drinks did you consume?" (n)*: Water "Water "B (34.8%) Milk	- Others	1 (50.0%)	
Patients with fluid intake Drinks per patient & day (I) Drinks	no answer	-	• • • • • • • • • • • • • • • • • • • •
Patients with fluid intake Drinks per patient & day (I) Drinks	Fluid and supplement intake (n):		
Drinks per patient & day (I)	• •	21 (91 3%)	9318 (75.6%)
Patients with supplements Supplements Supplements per patient & day (I) 0.02 0.04 "What kind of drinks did you consume?" (n)*: Water 8 (34.8%) 7925 (64.3%) Milk 20 (87.0%) 2062 (16.7%) Fruit juice 2 (8.70%) 3006 (24.4%) Tea, coffee - 4583 (37.2%) Soft drinks - 746 (6.06%) Lunch intake (n): I All 9 (39.1%) 5174 (42.0%) I 1/2 9 (39.1%) 3053 (24.8%) I 1/4 4 (17.4%) 1890 (15.3%) Nothing 1 (4.35%) 1954 (15.9%) No answer - 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat 1 - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)		,	•
Supplements per patient & day (I) 0.02 0.04 "What kind of drinks did you consume?" (n)*: Secondary (I)*: 3006 (24.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 7925 (64.3%) 3006 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.4%) 7926 (24.8%)			
## What kind of drinks did you consume?" (n)*: Water 8 (34.8%) 7925 (64.3%) Milk 20 (87.0%) 2062 (16.7%) Fruit juice 2 (8.70%) 3006 (24.4%) Tea, coffee - 4583 (37.2%) Soft drinks - 746 (6.06%) Lunch intake (n):		` '	•
Water 8 (34.8%) 7925 (64.3%) Milk 20 (87.0%) 2062 (16.7%) Fruit juice 2 (8.70%) 3006 (24.4%) Tea, coffee - 4583 (37.2%) Soft drinks - 746 (6.06%) Lunch intake (n): - 4583 (37.2%) Image: All of the properties	supplements per patient & day (i)	0.02	0.04
Milk 20 (87.0%) 2062 (16.7%) Fruit juice 2 (8.70%) 3006 (24.4%) Tea, coffee - 4583 (37.2%) Soft drinks - 746 (6.06%) Lunch intake (n): - 7514 (42.0%) 1/2 9 (39.1%) 3053 (24.8%) 3 (21.4%) 1890 (15.3%) 1954 (15.9%) 1 (4.20%) 19 (39.1%) 3053 (24.8%) 1954 (15.9%) 2 (4.80%) 2066 (28.9%) 1954 (15.9%) 1954 (15.9%) 3 (21.4%) 104 (1.46%) 1954 (15.9%) 1954 (15.9%) 4 (28.6%) <td>"What kind of drinks did you consume?" (n)*:</td> <td></td> <td></td>	"What kind of drinks did you consume?" (n)*:		
Fruit juice Tea, coffee Tea, coffee Soft drinks Lunch intake (n): Lunch intake (n): All 9 (39.1%) 5174 (42.0%) 1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) Nothing 1 (4.35%) 1954 (15.9%) No answer No answer No answer All 4 (28.6%) 2066 (28.9%) No answer All 4 (28.6%) 2066 (28.9%) No answer All 4 (28.6%) 2066 (28.9%) All 5 (29.5%) All 6 (28.9%) All 6 (28.9%) All 6 (28.9%) All 7 (28.6%) 2066 (28.9%) All 8 (28.6%) 2066 (28.9%) All 9 (29.6%) All 9 (29.1%) All 9 (29.1%) All 9 (39.1%) 5174 (42.0%) All 9 (39.1%) 3053 (24.8%) All 9 (39.1%) 3053	Water	8 (34.8%)	7925 (64.3%)
Tea, coffee	Milk	20 (87.0%)	2062 (16.7%)
Soft drinks - 746 (6.06%) Lunch intake (n): Image: Soft drinks of the problem	Fruit juice	2 (8.70%)	3006 (24.4%)
Lunch intake (n): All 9 (39.1%) 5174 (42.0%) 1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) Nothing 1 (4.35%) 1954 (15.9%) No answer - 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less - 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	Tea, coffee	-	4583 (37.2%)
All 9 (39.1%) 5174 (42.0%) 1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) 1/4 4 (17.4%) 1890 (15.3%) 1954 (15.9%) 1954 (1	Soft drinks	-	746 (6.06%)
1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) Nothing 1 (4.35%) 1954 (15.9%) ? No answer - 248 (2.01%) "I did not eat everything because" (n)*: Value Value I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	Lunch intake (n):		
1/2 9 (39.1%) 3053 (24.8%) 1/4 4 (17.4%) 1890 (15.3%) Nothing 1 (4.35%) 1954 (15.9%) ? No answer - 248 (2.01%) "I did not eat everything because" (n)*: Value Value I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	alian	9 (39.1%)	5174 (42.0%)
1/4 4 (17.4%) 1890 (15.3%) Nothing 1 (4.35%) 1954 (15.9%) No answer - 248 (2.01%) "I did not eat everything because" (n)*: *** I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	1/2	9 (39.1%)	•
Nothing 1 (4.35%) 1954 (15.9%) No answer - 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less - 3 (21.4%) 584 (8.17%) I did not like the smell - 1 (7.14%) 275 (3.85%)		•	
? No answer - 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	(1-2)	· · ·	· · ·
#I did not eat everything because" (n)*: I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less - 3 (21.4%) 584 (8.17%) I did not like the smell - 1 (7.14%) 275 (3.85%)		1 (4.35%)	
I was not hungry 4 (28.6%) 2066 (28.9%) I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	? No answer	-	248 (2.01%)
I had nausea / vomiting - 685 (9.59%) I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	· ·		
I was not allowed to eat - 702 (9.83%) I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)		4 (28.6%)	2066 (28.9%)
I kann not eat without help - 104 (1.46%) I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	I had nausea / vomiting	-	685 (9.59%)
I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	I was not allowed to eat	-	702 (9.83%)
I had an examination / surgery - 553 (7.74%) I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)	•	-	104 (1.46%)
I ordered a smaller portion - 136 (1.90%) I was tired - 434 (6.07%) I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)		-	553 (7.74%)
I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)		-	136 (1.90%)
I normaly eat less 3 (21.4%) 584 (8.17%) I did not like the smell 1 (7.14%) 275 (3.85%)		-	· · · · · · · · · · · · · · · · · · ·
I did not like the smell 1 (7.14%) 275 (3.85%)	I normaly eat less	3 (21.4%)	,
	I did not like the smell	, ,	•
	I did not like the taste	8 (57.1%)	



"Do you eat any food apart from hospital food?" (n): Yes 4578 (35.8%) 23 (100%) 7056 (55.3%) No No answer 685 (5.36%) "What do you eat?" (n)*: Cakes, biscuits 1312 (28.7%) Fresh fruits 1918 (41.9%) 396 (8.65%) Sandwiches 650 (14.2%) Dairy products Preferred dish 522 (11.4%) **Sweets** 699 (15.3%) 870 (19.0%) Fruit Juice Others 901 (19.7%) "Did you need help to complete the questionnaire?" (according to patient) (n): Yes 22 (95.7%) 8581 (67.2%)

Results referring to the total number of completed questionnaires

