



nutritionDay November 2011 in ITALY

Dear participant, June 2012

Thank you for your participation in nutritionDay worldwide in November 2011 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	21
Number of patients on nutritionDay:	313
Number of patients completing Sheet 3a:	300
Number of patients completing Sheet 3b:	300

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on November 8th 2012. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Michael Hiesmayr

Karin Schindler

Johanna Tripamer



How to read the results

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

```
For example: number of patients on nutritionDay 2011 = 20
Fluid status (n):
dehydrated 4
```

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2011.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2011 = 20

```
Weight loss within 3 months (n)
```

```
Yes 10

Category of weight decrease (n):

0-4 kg 4

5-8 kg 2

> 8 kg 1

not sure 2

missing 1
```

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows:

```
For example: Weight (kg) 75 \pm 15
```

Median and range are displayed that way:

```
For example: LOS (days) 8 [5-15]
```



I. DESCRIPTION OF THE UNIT ("Sheet 1"):

<u> </u>	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Number of beds (n):		
Actual	30 ± 14	37 ± 50
Maximum	34 ± 15	38 ± 31
Waximam	01 = 10	00 ± 01
Number of patients on the nutritionDay (n):		
Total	313	14207
Did not give consent	7 (2.24%)	1205 (8.48%)
Needed help completing form	171 (54.6%)	8324 (58.6%)
Terminally ill	4 (1.28%)	988 (6.95%)
Specialities (n):		
Internal medicine / general	2 (9.52%)	115 (17.0%)
Internal medicine / gastroenterology and	- (7.0270)	46 (6.78%)
hepatology		10 (017 070)
Internal medicine / oncology (incl.	1 (4.76%)	76 (11.2%)
radiotherapy)	((())	()
Internal medicine / cardiology	1 (4.76%)	38 (5.60%)
Internal medicine / infectious diseases	-	8 (1.18%)
Internal medicine / geriatrics	2 (9.52%)	54 (7.96%)
Internal medicine / nephrology	· · · · · -	11 (1.62%)
Pediatrics	-	2 (0.29%)
Neurology	1 (4.76%)	26 (3.83%)
Psychiatry	- -	4 (0.59%)
Ear Nose Throat (ENT)	-	18 (2.65%)
General surgery	4 (19.0%)	111 (16.4%)
Cardiothoracic surgery	2 (9.52%)	17 (2.51%)
Orthopedic surgery	1 (4.76%)	39 (5.75%)
Trauma	1 (4.76%)	7 (1.03%)
Neurosurgery	1 (4.76%)	11 (1.62%)
Gynecology	-	8 (1.18%)
Long-term-care	-	6 (0.88%)
Others	5 (23.8%)	81 (11.9%)
Staff /Staff per patient (n):		
Physicians	4.71 ± 2.61	6.98 ± 10.34
Physicians per patient	0.17 ± 0.12	0.21 ± 0.27
Consultants	0.52 ± 2.18	3.16 ± 6.27
Consultants per patient	0.01 ± 0.04	0.10 ± 0.21
Registrars	2.86 ± 4.07	2.59 ± 4.52
Registrars per patient	0.15 ± 0.28	0.08 ± 0.17
Nurses	4.33 ± 3.35	9.92 ± 15.04
Nurses per patient	0.16 ± 0.12	0.27 ± 0.22
Nursing aides	2.90 ± 2.14	2.78 ± 4.15
rialising alacs	Z.70 ± Z.14	Z.70 ± 4.10

Nursing aides per patient	0.09 ± 0.05	0.08 ± 0.14
Dieticians and dietetic assistants	0.90 ± 2.66	1.20 ± 2.07
Dieticians and dietetic assistants per pat.	0.04 ± 0.11	0.06 ± 0.57
Nutrition Care:		
Nutrition Team	8 units (38%) Yes	476 units (70%) Yes
Written procedures	, ,	, ,
- individual	9 units (43%) Yes	421 units (62%) Yes
- local	3 units (14%) Yes	261 units (38%) Yes
- national	7 units (33%) Yes	234 units (35%) Yes
- other	- units (00%) Yes	105 units (15%) Yes
Patients' weight assessed:		
On admission	7 units (33%) Yes	484 units (71%) Yes
When requested	17 units (81%) Yes	385 units (57%) Yes
Once a week	• • •	249 units (37%) Yes
Occasionally	` '	59 units (09%) Yes
Never	, ,	18 units (03%) Yes

II. YOUR PATIENTS ("Sheet 2"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Number of patients (n):		
Total	313	14207
Patients who completed sheet 3a	300 (95.8%)	12770 (89.9%)
Patients who completed sheet 3b	300 (95.8%)	12319 (86.7%)
Demographic data:		
Age (years)	71 [12-92]	67 [2-105]
Female gender	142 (45.4%)	6921 (48.7%)
3	,	,
Weight (kg)	71.3 ± 14.8	69.6 ± 21.0
Height (cm)	165.9 ± 9.1	165.2 ± 14.5
BMI (kg/m²)	25.9 ± 4.7	25.4 ± 6.1
IOU at a		
ICU-stay:	27 (11 00/)	1412 (0.040/)
Any ICU-stay	37 (11.8%)	1412 (9.94%)
Surgery (n):		
Preoperative patients	33 (10.5%)	1251 (8.81%)
Postoperative patients	122 (39.0%)	3671 (25.8%)
·		
Length of stay in Hospital (days):	16 [3-161]	14 [1-1846]
Outcome after 30 days (n):	21 (0.000/)	170/ (10 10/)
Still in hospital	31 (9.90%)	1726 (12.1%) 390 (2.75%)
Transferred to another hospital Transferred to long-term care	15 (4.79%) 11 (3.51%)	578 (4.07%)
Rehabilitation	29 (9.27%)	366 (2.58%)
Discharge home	206 (65.8%)	9755 (68.7%)
Death	5 (1.60%)	576 (4.05%)
Others	2 (0.64%)	204 (1.44%)
Missing	14 (4.47%)	612 (4.31%)
Doodmitted (n)		
Readmitted (n):	4 (1.28%)	1497 (10.5%)

Results in percent referring to the total number of patients



II. YOUR PATIENTS ("Sheet 2"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	2 (0.64%) 10 (3.19%) 54 (17.3%) 13 (4.15%) 230 (73.5%) 13 (4.15%)	1136 (8.00%) 640 (4.50%) 140 (0.99%) 3640 (25.6%) 1363 (9.59%) 8154 (57.4%) 778 (5.48%) 587 (4.13%)
Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	183 (58.5%) 35 (11.2%) - 95 (30.4%)	9416 (66.3%) 1055 (7.43%) 326 (2.29%) 3410 (24.0%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	32 (10.2%) 1 (0.32%) 119 (38.0%) 26 (8.31%) 14 (4.47%) 52 (16.6%) 28 (8.95%) 15 (4.79%) 85 (27.2%) 19 (6.07%) 7 (2.24%) 25 (7.99%) 49 (15.7%) 17 (5.43%) 9 (2.88%)	1926 (13.6%) 304 (2.14%) 388 (2.73%) 2647 (18.6%) 1961 (13.8%) 913 (6.43%) 3161 (22.2%) 1689 (11.9%) 1059 (7.45%) 2359 (16.6%) 851 (5.99%) 466 (3.28%) 180 (1.27%) 3064 (21.6%) 1078 (7.59%) 36 (0.25%) 1007 (7.09%) 590 (4.15%)
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	66 (21.1%) 21 (6.71%) 23 (7.35%) 38 (12.1%) 44 (14.1%) 175 (55.9%) 59 (18.8%)	2566 (18.1%) 798 (5.62%) 883 (6.22%) 591 (4.16%) 1735 (12.2%) 5325 (37.5%) 5505 (38.7%)

Results in percent referring to the total number of patients



III. YOUR PATIENTS ("Sheet 3a"):

	678 units, 14207 patients	
	YOUR RESULTS	REFERENCE ND-11
Weight loss within the last 2 months (n).		
Weight loss within the last 3 months (n): Total of patients answering	299 (99.7%)	12269 (96.1%)
Yes	140 (46.7%)	5661 (44.3%)
No	133 (44.3%)	4638 (36.3%)
No, I've gained weight	22 (7.33%)	1067 (8.36%)
I don't know	4 (1.33%)	903 (7.07%)
Category of weight decrease (n):		
Patients reporting weight loss	140 (46.7%)	5661 (44.3%)
0-4 kg	77 (25.7%)	2538 (19.9%)
5-8 kg	16 (5.33%)	1045 (8.18%)
> 8 kg	34 (11.3%)	1423 (11.1%)
Not sure	13 (4.33%)	576 (4.51%)
Missing	-	79 (0.62%)
"How well have you eaten during the last		
week?"(n):		
Normal	146 (48.7%)	6081 (47.6%)
A bit less than normal	80 (26.7%)	2575 (20.2%)
Less than half of normal	50 (16.7%)	1838 (14.4%)
Less than a quarter to nearly nothing	24 (8.00%)	1716 (13.4%)
Missing	-	560 (4.39%)
"I ate less because"(n)*:		
Total of patients answering	147 (49.0%)	6075 (47.6%)
Loss of appetite	74 (24.7%)	3243 (25.4%)
Problems with swallowing, mastication	12 (4.00%)	609 (4.77%)
Nausea	20 (6.67%)	1074 (8.41%)
Other reasons	58 (19.3%)	2325 (18.2%)
"Can you walk without assistance?"(n):		
Yes	193 (64.3%)	7570 (59.3%)
No, only with assistance	75 (25.0%)	3323 (26.0%)
No, I stay in bed	32 (10.7%)	1417 (11.1%)
Missing	-	460 (3.60%)
"In general would you say your health is" (n):		
Excellent	-	341 (2.67%)
Good	20 (6.67%)	852 (6.67%)
Very good	97 (32.3%)	3898 (30.5%)
Fair	125 (41.7%)	4501 (35.2%)
Poor	48 (16.0%)	2543 (19.9%)
Missing	10 (3.33%)	635 (4.97%)
Results in percent referring to the total number of	patients answering	J



III. YOUR PATIENTS ("Sheet 3b"):

Hospital food intake: # s your appetite normal?" (n):		678 units, 14207 patient	
## Syour appetite normal?" (n): Yes		YOUR RESULTS	REFERENCE ND-11
Yes 185 (61.7%) 7557 (59.2%) NO 109 (36.3%) 3941 (30.9%) - I was not hungry 64 (58.7%) 1936 (49.1%) - Problems with swallowing / mastication 2 (1.83%) 326 (8.27%) - Nausea 17 (15.6%) 671 (17.0%) 969 (24.6%) - Others 10 (9.17%) 969 (24.6%) no answer 6 (2.00%) 821 (6.43%) Fluid and supplement intake (n): Patients with fluid intake 256 (85.3%) 9318 (75.6%) Drinks per patient & day (l) 0.46 0.55 Patients with supplements 15 (5.00%) 1147 (9.31%) Supplements per patient & day (l) 0.01 0.04 "What kind of drinks did you consume?" (n)*: *** Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Fa, coffee 199 (66.3%) 4583 (37.2%) Soft drinks (n): *** *** Lunch intake (n): *** *** <th< td=""><td>Hospital food intake:</td><td></td><td></td></th<>	Hospital food intake:		
Yes 185 (61.7%) 7557 (59.2%) NO 109 (36.3%) 3941 (30.9%) - I was not hungry 64 (58.7%) 1936 (49.1%) - Problems with swallowing / mastication 2 (1.83%) 326 (8.27%) - Nausea 17 (15.6%) 671 (17.0%) - Others 10 (9.17%) 969 (24.6%) no answer 6 (2.00%) 821 (6.43%) Fluid and supplement intake (n): Patients with fluid intake 256 (85.3%) 9318 (75.6%) Drinks per patient & day (l) 0.46 0.55 Patients with supplements 15 (5.00%) 1147 (9.31%) Supplements per patient & day (l) 0.01 0.04 "What kind of drinks did you consume?" (n)*: ** Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Fea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks (n): ** ** Lunch intake (n): ** ** *** All	"Is your appetite normal?" (n):		
- I was not hungry - Problems with swallowing / mastication - Nausea 17 (15.6%) - Others 10 (9.17%) - Pothers 10 (9.17%) - Others 11 (9.17%) - Others 11 (9.17%) - Others - Other	• • • • • • • • • • • • • • • • • • • •	185 (61.7%)	7557 (59.2%)
- Problems with swallowing / mastication 2 (1.83%) 326 (8.27%) · Nausea 17 (15.6%) 671 (17.0%) · Others 10 (9.17%) 969 (24.6%) no answer 6 (2.00%) 821 (6.43%) Fluid and supplement intake (n): Patients with fluid intake (n): Patients with fluid intake 256 (85.3%) 9318 (75.6%) Drinks per patient & day (l) 0.46 0.55 Patients with supplements 15 (5.00%) 1147 (9.31%) Supplements per patient & day (l) 0.01 0.04 "What kind of drinks did you consume?" (n)*: Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) 162 (2.33%) 746 (6.06%) Fluid intake (n): □ All 122 (40.7%) 5174 (42.0%) 1/2 84 (28.0%) 3053 (24.8%) 1/4 41 (13.7%) 1890 (15.3%) 1/4 41 (13.7%) 1890 (15.3%) 1/4 41 (13.7%) 1954 (15.9%) 2 (0.67%) 248 (2.01%) □ Nothing 51 (17.0%) 1954 (15.9%) 2 (0.67%) 248 (2.01%) □ I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) had nausea / vomiting 13 (7.30%) 685 (9.59%) 1 was not allowed to eat 16 (8.99%) 702 (9.83%) 1 kann not eat without help 3 (1.69%) 104 (1.46%) 1 had an examination / surgery 32 (18.0%) 553 (7.74%) 1 ordered a smaller portion 2 (1.12%) 136 (1.90%) 1 was tired 6 (3.37%) 434 (6.07%) 1 ornamly eat less 5 (2.81%) 584 (8.17%) 1 did not like the smell 7 (3.93%) 275 (3.85%)	No	109 (36.3%)	3941 (30.9%)
- Nausea	- I was not hungry	64 (58.7%)	1936 (49.1%)
- Others no answer 6 (2.00%) 821 (6.43%) no answer 6 (2.00%) 821 (6.43%) Fluid and supplement intake (n): Patients with fluid intake 256 (85.3%) 9318 (75.6%) Drinks per patient & day (l) 0.46 0.55 Patients with supplements 15 (5.00%) 1147 (9.31%) Supplements per patient & day (l) 0.01 0.04 "What kind of drinks did you consume?" (n)*: Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) 199 (66.3%) 4583 (37.2%) 746 (6.06%) Funch intake (n): Lunch intake (n): All 122 (40.7%) 5174 (42.0%) 3053 (24.8%) 1/2 84 (28.0%) 3053 (24.8%) 1/2 84 (28.0%) 3053 (24.8%) 1/4 41 (13.7%) 1890 (15.3%) 1/2 84 (28.0%) 3053 (24.8%) 1/4 41 (13.7%) 1890 (15.3%) 1/2 84 (28.0%) 248 (2.01%) 1/4 1/2 84 (2.01%) 1/4 1/2 84 (2.01%) 1/4 1/2 1/2 84 (2.01%) 1/4 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	 Problems with swallowing / mastication 	2 (1.83%)	326 (8.27%)
Fluid and supplement intake (n): Patients with fluid intake Drinks per patient & day (l) Drinks per patient & day (l) Drinks per patient & day (l) Supplements per patient & day (l) What kind of drinks did you consume?" (n)*: Water Z85 (95.0%) Milk 130 (43.3%) Z062 (16.7%) Fruit juice 130 (43.3%) Z062 (16.7%) Fruit juice 140 (16.06%) Lunch intake (n): Lunch intake (n): Lunch intake (n): 1/2 84 (28.0%) 1/4 1/2 84 (28.0%) 3035 (24.8%) 1/4 1/4 1/13.7%) 1890 (15.3%) Nothing 1/1,70%) Nothing 1/1,70%) Nothing 1/1,70%) Nothing 1/1,70%) No answer 2 (0.67%) 248 (2.01%) Was not hungry 44 (24.7%) Was not hungry 44 (24.7%) Was not allowed to eat 16 (8.99%) Was not allowed to eat 16 (8.99%) Was not allowed to eat Was not hungry Was not eat everything because" (n)*: Was not hungry Was not eat everything because" (n)*: Was not hungry Was not eat everything because (n)*: Was not hungry Was not eat everything because (n)*: Was not hungry Was not eat everything because (n)*		•	•
Fluid and supplement intake (n): Patients with fluid intake Drinks per patient & day (l) Drinks per patient & day (l) O.46 O.55 Patients with supplements Supplements per patient & day (l) O.01 "What kind of drinks did you consume?" (n)*: Water 285 (95.0%) Milk 130 (43.3%) Milk 1483 (37.2%) Milk 154 (18.0%) Milk 166.06%) Fruit juice 174 (18.0%) Milk 175 (19.33%) Mof (24.4%) Milk 180 (19.33%) Mof (24.4%) Milk 190 (66.3%) Mof (24.4%) Milk 190 (66.3%) Mof (24.4%) Mof (26.0%) Mof (28.0%) M	- Others	` ,	, ,
Patients with fluid intake Drinks per patient & day (I) Drinks per patient & day (I) Patients with supplements Supplements per patient & day (I) Supplements per patient & day (I) What kind of drinks did you consume?" (n)*: Water 285 (95.0%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): All 122 (40.7%) 1/2 84 (28.0%) 3053 (24.8%) 1/4 1/4 41 (13.7%) 1890 (15.3%) Nothing 1/4 1/4 41 (13.7%) Nothing 1/5 (17.0%) No answer 2 (0.67%) 1954 (15.9%) 2 No answer ### All	no answer	6 (2.00%)	821 (6.43%)
Patients with fluid intake Drinks per patient & day (I) Drinks	Fluid and supplement intake (n):		
Patients with supplements Supplements Supplements per patient & day (I) 0.01 0.01 0.04 "What kind of drinks did you consume?" (n)*: Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): □ All 122 (40.7%) 5174 (42.0%) □ 1/2 84 (28.0%) 3053 (24.8%) □ 1/4 41 (13.7%) 1890 (15.3%) □ Nothing 51 (17.0%) 1954 (15.9%) ? No answer 2 (0.67%) 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normally eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	• •	256 (85.3%)	9318 (75.6%)
Supplements per patient & day (I) 0.01 0.04 "What kind of drinks did you consume?" (n)*: User 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): 1 122 (40.7%) 5174 (42.0%) Image: All thicks of the construction of the constructi	Drinks per patient & day (I)	0.46	0.55
## What kind of drinks did you consume?" (n)*: Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n):	Patients with supplements	15 (5.00%)	1147 (9.31%)
Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): Image: All street of the properties of t	Supplements per patient & day (I)	0.01	0.04
Water 285 (95.0%) 7925 (64.3%) Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): Image: All street of the properties of t	"What kind of drinks did you consume?" (n)*:		
Milk 130 (43.3%) 2062 (16.7%) Fruit juice 54 (18.0%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): 122 (40.7%) 5174 (42.0%) Image: All state of the properties of	•	285 (95.0%)	7925 (64.3%)
Fruit juice Tea, coffee 199 (66.3%) 3006 (24.4%) Tea, coffee 199 (66.3%) 4583 (37.2%) Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n):	Milk	, ,	,
Soft drinks 7 (2.33%) 746 (6.06%) Lunch intake (n): ■ All 122 (40.7%) 5174 (42.0%) All 1/2 84 (28.0%) 3053 (24.8%) 1/4 41 (13.7%) 1890 (15.3%) Nothing 7 No answer 2 (0.67%) 248 (2.01%) I was not hungry 1 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 1 13 (7.30%) 685 (9.59%) I was not allowed to eat 1 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	Fruit juice	54 (18.0%)	,
Lunch intake (n):	Tea, coffee	199 (66.3%)	4583 (37.2%)
All 122 (40.7%) 5174 (42.0%) 1/2 84 (28.0%) 3053 (24.8%) 1/4 41 (13.7%) 1890 (15.3%) 1/4 41 (13.7%) 1954 (15.9%) 7 No answer 2 (0.67%) 248 (2.01%) 1954 (15.9%) 248 (2.01%) 1954 (15.9%) 1954 (Soft drinks	7 (2.33%)	746 (6.06%)
1/2 84 (28.0%) 3053 (24.8%) 1/4 41 (13.7%) 1890 (15.3%) Nothing 51 (17.0%) 1954 (15.9%) ? No answer 2 (0.67%) 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	Lunch intake (n):		
1/4 41 (13.7%) 1890 (15.3%) Nothing 51 (17.0%) 1954 (15.9%) ? No answer 2 (0.67%) 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	ii All	122 (40.7%)	5174 (42.0%)
1/4 41 (13.7%) 1890 (15.3%) Nothing 51 (17.0%) 1954 (15.9%) ? No answer 2 (0.67%) 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	1/2	84 (28.0%)	3053 (24.8%)
Nothing 51 (17.0%) 1954 (15.9%) ? No answer 2 (0.67%) 248 (2.01%) #I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	44		
? No answer 2 (0.67%) 248 (2.01%) "I did not eat everything because" (n)*: I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	Nothing	, ,	, ,
I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)		` ,	
I was not hungry 44 (24.7%) 2066 (28.9%) I had nausea / vomiting 13 (7.30%) 685 (9.59%) I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	I did not not averathing because " (n)*.		
I had nausea / vomiting13 (7.30%)685 (9.59%)I was not allowed to eat16 (8.99%)702 (9.83%)I kann not eat without help3 (1.69%)104 (1.46%)I had an examination / surgery32 (18.0%)553 (7.74%)I ordered a smaller portion2 (1.12%)136 (1.90%)I was tired6 (3.37%)434 (6.07%)I normaly eat less5 (2.81%)584 (8.17%)I did not like the smell7 (3.93%)275 (3.85%)		44 (04 70/)	20// (20.00/)
I was not allowed to eat 16 (8.99%) 702 (9.83%) I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)		, ,	,
I kann not eat without help 3 (1.69%) 104 (1.46%) I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)		,	,
I had an examination / surgery 32 (18.0%) 553 (7.74%) I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)		•	, ,
I ordered a smaller portion 2 (1.12%) 136 (1.90%) I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)			, ,
I was tired 6 (3.37%) 434 (6.07%) I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)		, ,	
I normaly eat less 5 (2.81%) 584 (8.17%) I did not like the smell 7 (3.93%) 275 (3.85%)	•	, ,	, ,
I did not like the smell 7 (3.93%) 275 (3.85%)		, ,	,
	3	, ,	, ,
	I did not like the taste	27 (15.2%)	945 (13.2%)



"Do you eat any food apart from hospital food?" (n):		
Yes	87 (29.0%)	4578 (35.8%)
No	208 (69.3%)	7056 (55.3%)
No answer	5 (1.67%)	685 (5.36%)
"What do you eat?" (n)*:		
Cakes, biscuits	31 (35.6%)	1312 (28.7%)
Fresh fruits	45 (51.7%)	1918 (41.9%)
Sandwiches	4 (4.60%)	396 (8.65%)
Dairy products	8 (9.20%)	650 (14.2%)
Preferred dish	1 (1.15%)	522 (11.4%)
Sweets	8 (9.20%)	699 (15.3%)
Fruit Juice	26 (29.9%)	870 (19.0%)
Others	9 (10.3%)	901 (19.7%)
"Did you need help to complete the questionnaire?" (according to patient) (n):	150 (52 70/)	0501 (47 20/)
Yes	158 (52.7%)	8581 (67.2%)

Results referring to the total number of completed questionnaires

