

Country Report

nutritionDay November 2013 in BELGIUM

Dear participant, February 2014

Thank you for your participation in nutritionDay worldwide in November 2013 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	109
Number of patients on nutritionDay:	2277
Number of patients completing Sheet 3a:	2046
Number of patients completing Sheet 3b:	2015

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on November 6th 2014. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

PD. Dr. Karin Schindler

4. Shindle

Sigrid Kosak, MA

Ligid Morak

How to read the results

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

```
For example: number of patients on nutritionDay 2013 = 20
Fluid status (n):
dehydrated 4
```

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2013.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2013 = 20

```
Weight loss within 3 months (n)
```

```
Yes 10

Category of weight decrease (n):

0-4 kg 4

5-8 kg 2

> 8 kg 1

not sure 2

missing 1
```

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows:

```
For example: Weight (kg) 75 \pm 15
```

Median and range are displayed that way:

```
For example: LOS (days) 8 [5-15]
```

I. DESCRIPTION OF THE UNIT ("Sheet 1"):

YOUR RESULTS REFERENCE ND-13 Number of beds (n): Actual 25 + 9 27 ± 15 Maximum 29 ± 8 32 ± 16 Number of patients on the nutritionDay (n): Total 2277 9897 Did not give consent 91 (4.00%) 873 (8.82%) Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and 13 (11.9%) 33 (6.64%) hepatology 1 8 (7.34%) 52 (10.5%) Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) 1 2 (1.83%) 40 (8.05%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / perioticus diseases 1 (0.92%) 2 (0.40%) Internal medicine / perioticus diseases 1 (0.92%) 3 (7.65%) Internal medicine / perioticus diseases 1 (0.92%		497 units, 9897 patients	
Actual 25 ± 9 27 ± 15 Maximum 29 ± 8 32 ± 16 Number of patients on the nutritionDay (n): 29 ± 8 32 ± 16 Total 2277 9897 Did not give consent 91 (4.00%) 873 (8.82%) Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) hepatology Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) 1 (1.92%) 4 (0.80%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / periatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 5 (1.01%) Pediatrics 2 (6 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 5 (1.01%)		YOUR RESULTS	REFERENCE ND-13
Actual 25 ± 9 27 ± 15 Maximum 29 ± 8 32 ± 16 Number of patients on the nutritionDay (n): 29 ± 8 32 ± 16 Total 2277 9897 Did not give consent 91 (4.00%) 873 (8.82%) Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) hepatology Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) 1 (1.92%) 4 (0.80%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / periatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 5 (1.01%) Pediatrics 2 (6 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 5 (1.01%)	Number of body (n).		
Maximum 29 ± 8 32 ± 16 Number of patients on the nutritionDay (n): Total 2277 9897 Did not give consent 91 (4.00%) 873 (8.82%) Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and 13 (11.9%) 33 (6.64%) hepatology 1 8 (7.34%) 52 (10.5%) Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) 1 10.92%) 2 (0.5%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / periatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 3 (1.61%) Pediatrics 1 (0.92%) 3 (1.61%) Pediatrics 1 (0.92%) 3 (1.61%)		25 ± 0	27 ± 15
Number of patients on the nutritionDay (n): Total			
Total 2277 9897 Did not give consent 91 (4.00%) 873 (8.82%) Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and 13 (11.9%) 33 (6.64%) hepatology Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / periatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 3 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) <td>Waximam</td> <td>27±0</td> <td>32 ± 10</td>	Waximam	27±0	32 ± 10
Did not give consent 91 (4.00%) 873 (8.82%) Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) hepatology Internal medicine / oncology (incl. as (7.34%) 52 (10.5%) radiotherapy) 1 (0.92%) 2 (1.83%) 40 (8.05%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / periatrics 26 (23.9%) 38 (7.65%) Internal medicine / periatrics 10.92%) 15 (1.01%)<	Number of patients on the nutritionDay (n):		
Needed help completing form 1401 (61.5%) 5232 (52.9%) Terminally ill 120 (5.27%) 707 (7.14%) Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) Internal medicine / oncology (incl. radiotherapy) 8 (7.34%) 52 (10.5%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 5 (1.01%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 4 (3.67%) 29 (5.84%)			
Specialities (n): Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) Internal medicine / oncology (incl. radiotherapy) 8 (7.34%) 52 (10.5%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 8 (1.61%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 4 (3.67%) 29 (5.84%) Trauma - 7 (1.41%) Neurosurgery 3 (2.75%) 6 (1.21%) Gynecology 2 (1.83%) <td></td> <td></td> <td></td>			
Specialities (n): 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.4%) Internal medicine / gastroenterology and hepatology 8 (7.34%) 52 (10.5%) Internal medicine / oncology (incl. radiotherapy) 8 (7.34%) 52 (10.5%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 3 (2.75%) 6 (1.21%) Gynecology 2 (1.83%) 5 (1.01%) Long-term-care 4 (3.67%)<	· · · · · · · · · · · · · · · · · · ·		•
Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) hepatology Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 3 (2.75%) 6 (1.21%) Cardiothoracic surgery 7 (1.25%) Cardiothor	Terminally ill	120 (5.27%)	707 (7.14%)
Internal medicine / general 10 (9.17%) 125 (25.2%) Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) hepatology Internal medicine / oncology (incl. 8 (7.34%) 52 (10.5%) radiotherapy) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 3 (2.75%) 6 (1.21%) Cardiothoracic surgery 7 (1.25%) Cardiothor	Specialities (n):		
Internal medicine / gastroenterology and hepatology 13 (11.9%) 33 (6.64%) Internal medicine / oncology (incl. radiotherapy) 8 (7.34%) 52 (10.5%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 2 (1.83%) 29 (5.84%) Trauma - 7 (1.41%) Neurosurgery 3 (2.75%) 6 (1.21%) Gynecology 2 (1.83%) 5 (1.01%) Long-term-care 4 (3.67%) 6 (1.21%) <tr< td=""><td>1 , , ,</td><td>10 (9.17%)</td><td>125 (25.2%)</td></tr<>	1 , , ,	10 (9.17%)	125 (25.2%)
Internal medicine / oncology (incl. radiotherapy) 8 (7.34%) 52 (10.5%) Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 10 (9.17%) 56 (11.3%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 3 (2.75%) 6 (1.21%) Registras 3 (2.75%) 6 (1.21%) Opical surgery 3 (2.75%) 6 (1.21%) Opical surgery 3 (2.75%) 6 (1.21%) Opical surgery 3 (2.75%) 6 (1.21%) Opical		•	, ,
radiotherapy) Internal medicine / cardiology		, ,	, ,
Internal medicine / cardiology 2 (1.83%) 40 (8.05%) Internal medicine / infectious diseases 1 (0.92%) 2 (0.40%) Internal medicine / geriatrics 26 (23.9%) 38 (7.65%) Internal medicine / nephrology 1 (0.92%) 8 (1.61%) Pediatrics 1 (0.92%) 5 (1.01%) Neurology 3 (2.75%) 15 (3.02%) Psychiatry 5 (4.59%) 8 (1.61%) Ear Nose Throat (ENT) - 5 (1.01%) General surgery 10 (9.17%) 55 (1.01%) Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 4 (3.67%) 29 (5.84%) Trauma - 7 (1.41%) Neurosurgery 3 (2.75%) 6 (1.21%) Gynecology 2 (1.83%) 5 (1.01%) Long-term-care 4 (3.67%) 6 (1.21%) Others 15 (13.8%) 53 (10.7%) Staff /Staff per patient (n): Physicians 3 .92 ± 4.65 7 .20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32	Internal medicine / oncology (incl.	8 (7.34%)	52 (10.5%)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	radiotherapy)		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		•	•
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		•	•
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	S		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 3		•
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			•
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			•
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5 (4.59%)	
Cardiothoracic surgery 1 (0.92%) 4 (0.80%) Orthopedic surgery 4 (3.67%) 29 (5.84%) Trauma - 7 (1.41%) Neurosurgery 3 (2.75%) 6 (1.21%) Gynecology 2 (1.83%) 5 (1.01%) Long-term-care 4 (3.67%) 6 (1.21%) Others 15 (13.8%) 53 (10.7%) Staff /Staff per patient (n): Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	• • •	10 (0 170/)	•
Orthopedic surgery $4 (3.67\%)$ $29 (5.84\%)$ Trauma - $7 (1.41\%)$ Neurosurgery $3 (2.75\%)$ $6 (1.21\%)$ Gynecology $2 (1.83\%)$ $5 (1.01\%)$ Long-term-care $4 (3.67\%)$ $6 (1.21\%)$ Others $15 (13.8\%)$ $53 (10.7\%)$ Staff /Staff per patient (n): Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	- ·		•
Trauma- $7 (1.41\%)$ Neurosurgery $3 (2.75\%)$ $6 (1.21\%)$ Gynecology $2 (1.83\%)$ $5 (1.01\%)$ Long-term-care $4 (3.67\%)$ $6 (1.21\%)$ Others $15 (13.8\%)$ $53 (10.7\%)$ Staff /Staff per patient (n):Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	<u> </u>	, ,	•
Neurosurgery $3 (2.75\%)$ $6 (1.21\%)$ Gynecology $2 (1.83\%)$ $5 (1.01\%)$ Long-term-care $4 (3.67\%)$ $6 (1.21\%)$ Others $15 (13.8\%)$ $53 (10.7\%)$ Staff /Staff per patient (n):Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43		4 (3.07%)	
Gynecology $2 (1.83\%)$ $5 (1.01\%)$ Long-term-care $4 (3.67\%)$ $6 (1.21\%)$ Others $15 (13.8\%)$ $53 (10.7\%)$ Staff /Staff per patient (n): Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43		- 3 (2 75%)	•
Long-term-care $4 (3.67\%)$ $6 (1.21\%)$ Others $15 (13.8\%)$ $53 (10.7\%)$ Staff /Staff per patient (n): Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	3		
Others $15 (13.8\%)$ $53 (10.7\%)$ Staff /Staff per patient (n): 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	3	•	•
Staff /Staff per patient (n): Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	S	•	•
Physicians 3.92 ± 4.65 7.20 ± 8.91 Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43		(() () ()	
Physicians per patient 0.14 ± 0.16 0.25 ± 0.32 Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	Staff /Staff per patient (n):		
Consultants 0.85 ± 3.39 2.71 ± 5.30 Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43	3		
Consultants per patient 0.03 ± 0.09 0.09 ± 0.18 Registrars 1.39 ± 2.59 2.12 ± 4.43			
Registrars 1.39 ± 2.59 2.12 ± 4.43			
9	·		
	9		
Registrars per patient 0.05 ± 0.14 0.07 ± 0.13	Registrars per patient	0.05 ± 0.14	0.07 ± 0.13
Nurses 5.85 ± 2.77 8.34 ± 8.65	Nurses	5.85 ± 2.77	8.34 + 8.65
Nurses per patient 0.22 ± 0.14 0.27 ± 0.25			
Nursing aides 1.43 ± 1.72 3.08 ± 3.31	·	1.43 ± 1.72	

Nursing aides per patient	0.05 ± 0.08	0.10 ± 0.10
Dieticians and dietetic assistants	1.28 ± 0.72	1.27 ± 1.20
Dieticians and dietetic assistants per pat.	0.05 ± 0.03	0.05 ± 0.05
Nutrition Care:		
Nutrition Team	101 units (93%) Yes	390 units (78%) Yes
Written procedures		
- individual	59 units (54%) Yes	316 units (64%) Yes
- local	40 units (37%) Yes	221 units (44%) Yes
- national	37 units (34%) Yes	225 units (45%) Yes
- other	12 units (11%) Yes	83 units (17%) Yes
Patients' weight assessed:		
On admission	79 units (72%) Yes	396 units (80%) Yes
When requested	45 units (41%) Yes	282 units (57%) Yes
Once a week	64 units (59%) Yes	203 units (41%) Yes
Occasionally	12 units (11%) Yes	61 units (12%) Yes
Never	- units (00%) Yes	2 units (00%) Yes

II. YOUR PATIENTS ("Sheet 2"):

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Number of patients (n):		
Total	2277	9897
Patients who completed sheet 3a	2046 (89.9%)	8656 (87.5%)
Patients who completed sheet 3b	2015 (88.5%)	8375 (84.6%)
Demographic data:		
Age (years)	73 [2-103]	67 [2-109]
Female gender	1268 (55.7%)	4907 (49.6%)
Weight (kg)	71.2 ± 17.9	71.7 ± 20.6
Height (cm)	165.5 ± 10.2	165.2 ± 11.7
BMI (kg/m²)	25.9 ± 5.9	26.1 ± 6.5
ICU-stay:		
Any ICU-stay	246 (10.8%)	996 (10.1%)
Surgery (n):		
Preoperative patients	179 (7.86%)	799 (8.07%)
Postoperative patients	564 (24.8%)	2361 (23.9%)
Length of stay in Hospital (days):	16 [1-251]	12 [1-358]
Outcome after 30 days (n):		
Still in hospital	246 (10.8%)	1017 (10.3%)
Transferred to another hospital	35 (1.54%)	230 (2.32%)
Transferred to long-term care	223 (9.79%)	598 (6.04%)
Rehabilitation	109 (4.79%)	377 (3.81%)
Discharge home	1317 (57.8%)	6785 (68.6%)
Death	82 (3.60%)	390 (3.94%)
Others Missing	38 (1.67%)	110 (1.11%)
Missing	227 (9.97%)	390 (3.94%)
Readmitted (n):	192 (8.43%)	1144 (11.6%)

Results in percent referring to the total number of patients

II. YOUR PATIENTS ("Sheet 2"):

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	170 (7.47%) 61 (2.68%) 5 (0.22%) 400 (17.6%) 493 (21.7%) 1555 (68.3%) 98 (4.30%) 51 (2.24%)	729 (7.37%) 276 (2.79%) 57 (0.58%) 2520 (25.5%) 1215 (12.3%) 5906 (59.7%) 477 (4.82%) 479 (4.84%)
Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	1699 (74.6%) 153 (6.72%) 31 (1.36%) 394 (17.3%)	6115 (61.8%) 754 (7.62%) 230 (2.32%) 2798 (28.3%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	452 (19.9%) 53 (2.33%) 49 (2.15%) 405 (17.8%) 358 (15.7%) 82 (3.60%) 454 (19.9%) 416 (18.3%) 172 (7.55%) 487 (21.4%) 83 (3.65%) 117 (5.14%) 15 (0.66%) 269 (11.8%) 238 (10.5%) 16 (0.70%) 168 (7.38%) 75 (3.29%)	1323 (13.4%) 190 (1.92%) 180 (1.82%) 2052 (20.7%) 1428 (14.4%) 446 (4.51%) 1768 (17.9%) 1472 (14.9%) 807 (8.15%) 1564 (15.8%) 406 (4.10%) 400 (4.04%) 117 (1.18%) 1625 (16.4%) 688 (6.95%) 93 (0.94%) 547 (5.53%) 466 (4.71%)
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	455 (20.0%) 181 (7.95%) 199 (8.74%) 66 (2.90%) 274 (12.0%) 599 (26.3%) 981 (43.1%)	2238 (22.6%) 642 (6.49%) 686 (6.93%) 363 (3.67%) 1262 (12.8%) 3763 (38.0%) 3551 (35.9%)

Results in percent referring to the total number of patients

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Majorial Incomplish the Lord 2 magazine (a)		
Weight loss within the last 3 months (n): Total of patients answering	1964 (96.0%)	8418 (97.3%)
Yes	903 (44.1%)	3772 (43.6%)
No	771 (37.7%)	3288 (38.0%)
No, I've gained weight	195 (9.53%)	718 (8.29%)
I don't know	95 (4.64%)	640 (7.39%)
Category of weight decrease (n):		
Patients reporting weight loss	903 (44.1%)	3772 (43.6%)
0-4 kg	403 (19.7%)	1679 (19.4%)
5-8 kg	160 (7.82%)	678 (7.83%)
> 8 kg	215 (10.5%)	970 (11.2%)
Not sure	108 (5.28%)	412 (4.76%)
Missing	17 (0.83%)	33 (0.38%)
"How well have you eaten during the last		
week?"(n):		
Normal	946 (46.2%)	4084 (47.2%)
A bit less than normal	523 (25.6%)	1957 (22.6%)
Less than half of normal	291 (14.2%)	1256 (14.5%)
Less than a quarter to nearly nothing	208 (10.2%)	1074 (12.4%)
Missing	78 (3.81%)	285 (3.29%)
"I ate less because"(n)*:		
Total of patients answering	1031 (50.4%)	4299 (49.7%)
Loss of appetite	584 (28.5%)	2344 (27.1%)
Problems with swallowing, mastication	99 (4.84%)	448 (5.18%)
Nausea	97 (4.74%)	748 (8.64%)
Other reasons	420 (20.5%)	1574 (18.2%)
"Can you walk without assistance?"(n):		
Yes	1136 (55.5%)	5059 (58.4%)
No, only with assistance	630 (30.8%)	2373 (27.4%)
No, I stay in bed	202 (9.87%)	968 (11.2%)
Missing	78 (3.81%)	256 (2.96%)
"In general would you say your health is" (n):		
Excellent	69 (3.37%)	283 (3.27%)
Very good	176 (8.60%)	728 (8.41%)
Good	712 (34.8%)	2708 (31.3%)
Fair	740 (36.2%)	2932 (33.9%)
Poor	271 (13.2%)	1685 (19.5%)
Missing	78 (3.81%)	320 (3.70%)
Results in percent referring to the total number of	patients answering	

<u> </u>	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	1181 (57.7%)	4927 (56.9%)
No	689 (33.7%)	2875 (33.2%)
- I was not hungry	347 (50.4%)	1429 (49.7%)
- Problems with swallowing / mastication	50 (7.26%)	238 (8.28%)
- Nausea	73 (10.6%)	546 (19.0%)
- Others	174 (25.3%)	658 (22.9%)
no answer	145 (7.09%)	573 (6.62%)
Fluid and supplement intake (n):		
Patients with fluid intake	1515 (75.2%)	6289 (75.1%)
Drinks per patient & day (I)	0.36	0.39
Patients with supplements	222 (11.0%)	982 (11.7%)
Supplements per patient & day (I)	0.03	0.03
"What kind of drinks did you consume?" (n)*:		
Water	1580 (78.4%)	5783 (69.1%)
Milk	100 (4.96%)	1754 (20.9%)
Fruit juice	159 (7.89%)	1975 (23.6%)
Tea, coffee	657 (32.6%)	3262 (38.9%)
Soft drinks	199 (9.88%)	872 (10.4%)
Lunch intake (n):		
All	794 (39.4%)	3380 (40.4%)
1/2	590 (29.3%)	2315 (27.6%)
√2 1/4	312 (15.5%)	1405 (16.8%)
Nothing	267 (13.3%)	1133 (13.5%)
? No answer	52 (2.58%)	142 (1.70%)
: No answer	52 (2.56%)	142 (1.70%)
"I did not eat everything because" (n)*:		
I was not hungry	419 (34.3%)	1554 (31.1%)
I had nausea / vomiting	78 (6.39%)	474 (9.49%)
I was not allowed to eat	116 (9.50%)	473 (9.47%)
I can not eat without help	29 (2.38%)	68 (1.36%)
I had an examination / surgery	111 (9.09%)	292 (5.85%)
I ordered a smaller portion I was tired	32 (2.62%)	106 (2.12%)
I normally eat less	61 (5.00%)	313 (6.27%)
I did not like the smell	100 (8.19%)	379 (7.59%)
I did not like the taste	27 (2.21%)	188 (3.76%)
Taid flot like the taste	165 (13.5%)	664 (13.3%)

"Do you eat any food apart from hospital food?" (n):		
Yes	787 (38.5%)	2709 (31.3%)
No	1101 (53.8%)	5149 (59.5%)
No answer	127 (6.21%)	517 (5.97%)
"What do you eat?" (n)*:		
Cakes, biscuits	368 (46.8%)	837 (30.9%)
Fresh fruits	298 (37.9%)	959 (35.4%)
Sandwiches	62 (7.88%)	309 (11.4%)
Dairy products	140 (17.8%)	416 (15.4%)
Preferred dish	88 (11.2%)	312 (11.5%)
Sweets	165 (21.0%)	485 (17.9%)
Fruit Juice	71 (9.02%)	334 (12.3%)
Others	100 (12.7%)	470 (17.3%)
"Did you need help to complete the questionnaire?" (according to patient) (n):	4.400 (70.00)	(200 (40 00))
Yes	1433 (70.0%)	6038 (69.8%)

Results referring to the total number of completed questionnaires