# Country Report



## nutritionDay November 2013 in PHILIPPINES

Dear participant,

February 2014

Thank you for your participation in nutritionDay worldwide in November 2013 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	10
Number of patients on nutritionDay:	119
Number of patients completing Sheet 3a:	80
Number of patients completing Sheet 3b:	79

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on November 6<sup>th</sup> 2014. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

4. Shindle

higrid Herak

PD. Dr. Karin Schindler

Sigrid Kosak, MA

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

For example: number of patients on nutritionDay 2013 = 20 Fluid status (n):

dehydrated 4

**Explanation**: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2013.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2013 = 20 Weight loss within 3 months (n)

Yes 10 Category of weight decrease (n): 0-4 kg 4 5-8 kg 2 > 8 kg 1 not sure 2 missing 1

**Explanation:** 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)\*

Mean and standard deviation are displayed as follows: For example: Weight (kg)  $75 \pm 15$ 

Median and range are displayed that way: For example: LOS (days) 8 [5-15]

### I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Number of beds (n):		
Actual	18 ± 6	27 ± 15
Maximum	29 ± 8	$32 \pm 16$
Number of patients on the nutritionDay (n):		
Total	119	9897
Did not give consent	39 (32.8%)	873 (8.82%)
Needed help completing form	16 (13.4%)	5232 (52.9%)
Terminally ill	6 (5.04%)	707 (7.14%)
Specialities (n):	2(20,00/)	10E (0E 00/)
Internal medicine / general	3 (30.0%)	125 (25.2%) 33 (6.64%)
Internal medicine / gastroenterology and hepatology	1 (10.0%)	33 (0.04%)
Internal medicine / oncology (incl.	1 (10.0%)	52 (10.5%)
radiotherapy)		
Internal medicine / cardiology	2 (20.0%)	40 (8.05%)
Internal medicine / infectious diseases	-	2 (0.40%)
Internal medicine / geriatrics	1 (10.0%)	38 (7.65%)
Internal medicine / nephrology	-	8 (1.61%)
Pediatrics	-	5 (1.01%) 15 (2.02%)
Neurology Psychiatry	-	15 (3.02%) 8 (1.61%)
Ear Nose Throat (ENT)	_	5 (1.01%)
General surgery	1 (10.0%)	56 (11.3%)
Cardiothoracic surgery	-	4 (0.80%)
Orthopedic surgery	1 (10.0%)	29 (5.84%)
Trauma	-	7 (1.41%)
Neurosurgery	-	6 (1.21%)
Gynecology	-	5 (1.01%)
Long-term-care	-	6 (1.21%)
Others	-	53 (10.7%)
Staff /Staff per patient (n):		
Physicians	4.30 ± 4.11	7.20 ± 8.91
Physicians per patient	0.17 ± 0.15	$0.25 \pm 0.32$
Consultants	25.00 ± 28.22	2.71 ± 5.30
Consultants per patient	0.96 ± 1.09	$0.09 \pm 0.18$
Registrars	$0.40 \pm 0.52$	2.12 ± 4.43
Registrars per patient	$0.02 \pm 0.03$	0.07 ± 0.13
Nurses	6.90 ± 4.43	8.34 ± 8.65
Nurses per patient	$0.27 \pm 0.21$	$0.27 \pm 0.25$
Nursing aides	2.50 ± 3.41	3.08 ± 3.31
6		

Nursing aides per patient	0.10 ± 0.16	0.10 ± 0.10
Dieticians and dietetic assistants	$0.30 \pm 0.67$	1.27 ± 1.20
Dieticians and dietetic assistants per pat.	$0.01 \pm 0.03$	$0.05 \pm 0.05$
Nutrition Care:		
Nutrition Team	10 units (100%) Yes	390 units (78%) Yes
Written procedures		
- individual	7 units (70%) Yes	316 units (64%) Yes
- local	3 units (30%) Yes	221 units (44%) Yes
- national	1 units (10%) Yes	225 units (45%) Yes
- other	- units (00%) Yes	83 units (17%) Yes
Patients' weight assessed:		
On admission	10 units (100%) Yes	396 units (80%) Yes
When requested	1 units (10%) Yes	282 units (57%) Yes
Once a week	1 units (10%) Yes	203 units (41%) Yes
Occasionally	- units (00%) Yes	61 units (12%) Yes
Never	- units (00%) Yes	2 units (00%) Yes

### II. YOUR PATIENTS ("Sheet 2"):

	497 units, 9897 patients	
	YOUR RESULTS	<b>REFERENCE ND-13</b>
Number of patients (n):		
Total Detions who completed sheet 20	119	9897
Patients who completed sheet 3a Patients who completed sheet 3b	80 (67.2%) 79 (66.4%)	8656 (87.5%) 8375 (84.6%)
ratients who completed sheet 3b	77 (00.470)	0373 (04.070)
Demographic data:		
Age (years)	58 [22-98]	67 [2-109]
Female gender	58 (48.7%)	4907 (49.6%)
Weight (kg)	65.6 ± 15.6	71.7 ± 20.6
Height (cm)	161.6 ± 8.8	165.2 ± 11.7
BMI (kg/m <sup>2</sup> )	25.0 ± 5.0	26.1 ± 6.5
ICU-stay:		
Any ICU-stay	13 (10.9%)	996 (10.1%)
Surgery (n):		
Preoperative patients	11 (9.24%)	799 (8.07%)
Postoperative patients	27 (22.7%)	2361 (23.9%)
Length of stay in Hospital (days):	41 [13-172]	12 [1-358]
Outcome after 30 days (n):		
Still in hospital	7 (5.88%)	1017 (10.3%)
Transferred to another hospital Transferred to long-term care	-	230 (2.32%) 598 (6.04%)
Rehabilitation	<u>-</u>	377 (3.81%)
Discharge home	108 (90.8%)	6785 (68.6%)
Death	4 (3.36%)	390 (3.94%)
Others	-	110 (1.11%)
Missing	-	390 (3.94%)
Readmitted (n):	-	1144 (11.6%)

Results in percent referring to the total number of patients

#### II. YOUR PATIENTS ("Sheet 2"):

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	8 (6.72%) 4 (3.36%) - 3 (2.52%) - 100 (84.0%) 5 (4.20%)	729 (7.37%) 276 (2.79%) 57 (0.58%) 2520 (25.5%) 1215 (12.3%) 5906 (59.7%) 477 (4.82%) 479 (4.84%)
Missing Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	- 106 (89.1%) 3 (2.52%) 4 (3.36%) 6 (5.04%)	479 (4.84%) 6115 (61.8%) 754 (7.62%) 230 (2.32%) 2798 (28.3%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	16 (13.4%) 1 (0.84%) 29 (24.4%) 12 (10.1%) 6 (5.04%) 30 (25.2%) 17 (14.3%) 20 (16.8%) 12 (10.1%) 3 (2.52%) 3 (2.52%) - 12 (10.1%) 3 (2.52%) - 7 (5.88%) 6 (5.04%)	1323 $(13.4\%)$ 190 $(1.92\%)$ 180 $(1.82\%)$ 2052 $(20.7\%)$ 1428 $(14.4\%)$ 446 $(4.51\%)$ 1768 $(17.9\%)$ 1472 $(14.9\%)$ 807 $(8.15\%)$ 1564 $(15.8\%)$ 406 $(4.10\%)$ 400 $(4.04\%)$ 117 $(1.18\%)$ 1625 $(16.4\%)$ 688 $(6.95\%)$ 93 $(0.94\%)$ 547 $(5.53\%)$ 466 $(4.71\%)$
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	25 (21.0%) 3 (2.52%) - 9 (7.56%) 2 (1.68%) 69 (58.0%) 25 (21.0%)	2238 (22.6%) 642 (6.49%) 686 (6.93%) 363 (3.67%) 1262 (12.8%) 3763 (38.0%) 3551 (35.9%)

Results in percent referring to the total number of patients

### III. YOUR PATIENTS ("Sheet 3a"):

	497 units, 9897 patients	
	YOUR RESULTS	<b>REFERENCE ND-13</b>
Weight loss within the last 3 months (n):		
Total of patients answering	80 (100%)	8418 (97.3%)
Yes	30 (37.5%)	3772 (43.6%)
No	27 (33.8%)	3288 (38.0%)
No, I've gained weight	16 (20.0%)	718 (8.29%)
I don't know	7 (8.75%)	640 (7.39%)
Category of weight decrease (n):		
Patients reporting weight loss	30 (37.5%)	3772 (43.6%)
0-4 kg	18 (22.5%)	1679 (19.4%)
5-8 kg	1 (1.25%)	678 (7.83%)
> 8 kg	6 (7.50%)	970 (11.2%)
Not sure	5 (6.25%)	412 (4.76%)
Missing	-	33 (0.38%)
"How well have you eaten during the last		
week?"(n):		
Normal	38 (47.5%)	4084 (47.2%)
A bit less than normal	25 (31.3%)	1957 (22.6%)
Less than half of normal	9 (11.3%)	1256 (14.5%)
Less than a quarter to nearly nothing	8 (10.0%)	1074 (12.4%)
Missing	-	285 (3.29%)
"I ate less because"(n)*:		
Total of patients answering	34 (42.5%)	4299 (49.7%)
Loss of appetite	24 (30.0%)	2344 (27.1%)
Problems with swallowing, mastication	3 (3.75%)	448 (5.18%)
Nausea	3 (3.75%)	748 (8.64%)
Other reasons	8 (10.0%)	1574 (18.2%)
"Can you walk without assistance?"(n):		
Yes	56 (70.0%)	5059 (58.4%)
No, only with assistance	18 (22.5%)	2373 (27.4%)
No, I stay in bed	6 (7.50%)	968 (11.2%)
Missing	· · ·	256 (2.96%)
"In general would you say your health is" (n):		
Excellent	-	283 (3.27%)
Very good	10 (12.5%)	728 (8.41%)
Good	35 (43.8%)	2708 (31.3%)
Fair	25 (31.3%)	2932 (33.9%)
Poor	8 (10.0%)	1685 (19.5%)
Missing	2 (2.50%)	320 (3.70%)
Results in percent referring to the total number of	, ,	

	497 units, 9897 patients	
	YOUR RESULTS	REFERENCE ND-13
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	45 (56.3%)	4927 (56.9%)
No	34 (42.5%)	2875 (33.2%)
- I was not hungry	12 (35.3%)	1429 (49.7%)
<ul> <li>Problems with swallowing / mastication</li> </ul>	3 (8.82%)	238 (8.28%)
- Nausea	4 (11.8%)	546 (19.0%)
- Others	4 (11.8%)	658 (22.9%)
no answer	-	573 (6.62%)
Fluid and supplement intake (n):		
Patients with fluid intake	28 (35.4%)	6289 (75.1%)
Drinks per patient & day (I)	0.18	0.39
Patients with supplements	15 (19.0%)	982 (11.7%)
Supplements per patient & day (I)	0.07	0.03
"What kind of drinks did you consume?" (n)*:		
Water	58 (73.4%)	5783 (69.1%)
Milk	17 (21.5%)	1754 (20.9%)
Fruit juice	22 (27.8%)	1975 (23.6%)
Tea, coffee	20 (25.3%)	3262 (38.9%)
Soft drinks	13 (16.5%)	872 (10.4%)
Lunch intake (n):		
All	30 (38.0%)	3380 (40.4%)
<b>i</b> 1/2	21 (26.6%)	2315 (27.6%)
k 1/4		, ,
	16 (20.3%)	1405 (16.8%)
Nothing	12 (15.2%)	1133 (13.5%)
? No answer	-	142 (1.70%)
"I did not eat everything because" (n)*:		
I was not hungry	9 (18.4%)	1554 (31.1%)
I had nausea / vomiting	2 (4.08%)	474 (9.49%)
I was not allowed to eat	4 (8.16%)	473 (9.47%)
I can not eat without help	1 (2.04%)	68 (1.36%)
I had an examination / surgery	7 (14.3%)	292 (5.85%)
l ordered a smaller portion	1 (2.04%)	106 (2.12%)
I was tired	2 (4.08%)	313 (6.27%)
I normally eat less	12 (24.5%)	379 (7.59%)
I did not like the smell	1 (2.04%)	188 (3.76%)
	1 (2.01/0)	

<b>"Do you eat any food apart from hospital food?" (n):</b> Yes No No answer	61 (76.3%) 17 (21.3%) 1 (1.25%)	2709 (31.3%) 5149 (59.5%) 517 (5.97%)
"What do you eat?" (n)*:		
Cakes, biscuits	11 (18.0%)	837 (30.9%)
Fresh fruits	25 (41.0%)	959 (35.4%)
Sandwiches	13 (21.3%)	309 (11.4%)
Dairy products	4 (6.56%)	416 (15.4%)
Preferred dish	18 (29.5%)	312 (11.5%)
Sweets	5 (8.20%)	485 (17.9%)
Fruit Juice	11 (18.0%)	334 (12.3%)
Others	4 (6.56%)	470 (17.3%)
"Did you need help to complete the questionnaire?" (according to patient) (n): Yes	39 (48.8%)	6038 (69.8%)

Results referring to the total number of completed questionnaires