

Country Report

nutritionDay November 2014 in NETHERLANDS

Dear participant, June 2015

Thank you for your participation in nutritionDay worldwide in November 2014 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	2
Number of patients on nutritionDay:	30
Number of patients completing Sheet 3a:	25
Number of patients completing Sheet 3b:	24

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on 19th November 2015. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

Sigrid Kosak, MA

higrid Morak



How to read the results

Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

```
For example: number of patients on nutritionDay 2014 = 20 Fluid status (n): dehydrated 4
```

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2014.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2014 = 20

```
Weight loss within 3 months (n)
```

```
Yes 10

Category of weight decrease (n):

0-4 kg 4

5-8 kg 2

> 8 kg 1

not sure 2

missing 1
```

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows:

For example: Weight (kg) 75 ± 15

Median and range are displayed that way:

For example: LOS (days) 8 [5-15]



I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of leads (a)		
Number of beds (n): Actual	43 ± 11	32 ± 33
Maximum	43 ± 11 44 ± 11	32 ± 33 39 ± 51
Waximam	77 11	37 ± 31
Number of patients on the nutritionDay (n):		
Total	30	14603
Did not give consent	1 (3.33%)	1038 (7.11%)
Needed help completing form	22 (73.3%)	8417 (57.6%)
Terminally ill	-	826 (5.66%)
Specialities (n):		
Internal medicine / general	1 (50.0%)	184 (25.8%)
Internal medicine / gastroenterology and	-	37 (5.20%)
hepatology		,
Internal medicine / oncology (incl.	1 (50.0%)	70 (9.83%)
radiotherapy)		
Internal medicine / cardiology	-	44 (6.18%)
Internal medicine / infectious diseases	-	4 (0.56%)
Internal medicine / geriatrics	-	53 (7.44%)
Internal medicine / nephrology	-	11 (1.54%)
Pediatrics	-	27 (3.79%)
Neurology	-	19 (2.67%)
Psychiatry	-	8 (1.12%)
Ear Nose Throat (ENT)	-	13 (1.83%)
General surgery	-	90 (12.6%)
Cardiothoracic surgery	-	9 (1.26%)
Orthopedic surgery	-	45 (6.32%)
Trauma	=	7 (0.98%)
Neurosurgery	-	10 (1.40%)
Gynecology	=	10 (1.40%)
Long-term-care	-	11 (1.54%)
Others	-	60 (8.43%)
Staff /Staff per patient (n):		
Physicians	5.00 ± 4.24	5.99 ± 7.60
Physicians per patient	0.11 ± 0.07	0.19 ± 0.22
Consultants	0.00 ± 0.00	2.80 ± 5.81
Consultants per patient	0.00 ± 0.00	0.08 ± 0.16
Registrars	2.50 ± 0.71	2.77 ± 10.24
Registrars per patient	0.06 ± 0.03	0.06 ± 0.13
Numana	F FO 040	0.00 0.70
Nurses per petient	5.50 ± 2.12	9.02 ± 9.73
Nursing aides	0.12 ± 0.02	0.27 ± 0.27
Nursing aides	1.50 ± 0.71	4.76 ± 13.73



Nursing aides per patient	0.03 ± 0.01	0.11 ± 0.20
Dieticians and dietetic assistants	2.00 ± 0.00	1.38 ± 1.95
Dieticians and dietetic assistants per pat.	0.05 ± 0.01	0.04 ± 0.04
Nutrition Care:		
Nutrition Team	2 units (100%) Yes	556 units (78%) Yes
Written procedures		
- individual	- units (00%) Yes	439 units (62%) Yes
- local	- units (00%) Yes	287 units (40%) Yes
 national 	- units (00%) Yes	314 units (44%) Yes
- other	- units (00%) Yes	103 units (14%) Yes
Patients' weight assessed:		
On admission	2 units (100%) Yes	534 units (75%) Yes
	, ,	` '
When requested	- units (00%) Yes	377 units (53%) Yes
Once a week	2 units (100%) Yes	278 units (39%) Yes
Occasionally	- units (00%) Yes	77 units (11%) Yes
Never	- units (00%) Yes	16 units (02%) Yes

II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of patients (n): Total Patients who completed sheet 3a Patients who completed sheet 3b	30 25 (83.3%) 24 (80.0%)	14603 12993 (89.0%) 12603 (86.3%)
Demographic data: Age (years) Female gender	73 [24-93] 18 (60.0%)	67 [1-110] 7396 (50.6%)
Weight (kg) Height (cm) BMI (kg/m²)	72.3 ± 17.1 166.0 ± 6.3 25.8 ± 5.7	70.1 ± 20.6 164.4 ± 12.9 25.7 ± 6.4
ICU-stay: Any ICU-stay	-	1638 (11.2%)
Surgery (n): Preoperative patients Postoperative patients	- -	1198 (8.20%) 3544 (24.3%)
Length of stay in Hospital (days):	16 [4-44]	11 [1-666]
Outcome after 30 days (n): Still in hospital Transferred to another hospital Transferred to long-term care Rehabilitation Discharge home Death Others Missing	2 (6.67%) 1 (3.33%) 1 (3.33%) 1 (3.33%) 25 (83.3%)	1571 (10.8%) 400 (2.74%) 774 (5.30%) 535 (3.66%) 10301 (70.5%) 505 (3.46%) 218 (1.49%) 299 (2.05%)
Readmitted (n):	8 (26.7%)	1255 (8.59%)

Results in percent referring to the total number of patients



II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Nutrition therapy (n)*: Enteral nutrition Parenteral nutrition Enteral + parenteral nutrition Special diet Protein supplement Hospital food Others Missing	1 (3.33%) 5 (16.7%) 1 (3.33%) 14 (46.7%) 9 (30.0%)	861 (5.90%) 467 (3.20%) 91 (0.62%) 4371 (29.9%) 1555 (10.6%) 8212 (56.2%) 774 (5.30%) 517 (3.54%)
Lines & tubes (n)*: None Centralvenous Nasogastric tube Any other (PEG, PEJ,)	29 (96.7%) - 1 (3.33%)	9592 (65.7%) 1025 (7.02%) 386 (2.64%) 3600 (24.7%)
Affected organs (n)*: Brain, nerves Eye, ear Nose, throat Heart, circulation Lung Liver Gastrointestinal tract Kidney, urinary tract, female genital tract Endocrine system Skeleton, bone, muscle Blood, bone marrow Skin Ischaemia Cancer Infection Pregnancy Others No affected organ	2 (6.67%) 1 (3.33%) 1 (3.33%) 5 (16.7%) 7 (23.3%) 2 (6.67%) - 1 (3.33%) 1 (3.33%) 3 (10.0%) 9 (30.0%)	1961 (13.4%) 265 (1.81%) 296 (2.03%) 2966 (20.3%) 2175 (14.9%) 674 (4.62%) 2685 (18.4%) 2151 (14.7%) 1109 (7.59%) 2645 (18.1%) 631 (4.32%) 576 (3.94%) 116 (0.79%) 1957 (13.4%) 934 (6.40%) 106 (0.73%) 914 (6.26%) 613 (4.20%)
Comorbidities (n)*: Diabetes I/II Stroke COPD Myocardial infarction Cardiac insufficiency Others No comorbidity	5 (16.7%) 3 (10.0%) 1 (3.33%) 2 (6.67%) 10 (33.3%) 11 (36.7%)	3064 (21.0%) 907 (6.21%) 1117 (7.65%) 537 (3.68%) 1757 (12.0%) 5885 (40.3%) 5127 (35.1%)

Results in percent referring to the total number of patients



III. YOUR PATIENTS ("Sheet 3a"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Maight loss within the lost 2 months (n).		
Weight loss within the last 3 months (n): Total of patients answering	24 (96.0%)	12546 (96.6%)
Yes	15 (60.0%)	5548 (42.7%)
No	8 (32.0%)	4958 (38.2%)
No, I've gained weight	1 (4.00%)	1013 (7.80%)
I don't know	· · · · · · · · · · · · · · · · · · ·	1027 (7.90%)
Category of weight decrease (n):		
Patients reporting weight loss	15 (60.0%)	5548 (42.7%)
0-4 kg	3 (12.0%)	2434 (18.7%)
5-8 kg	6 (24.0%)	1007 (7.75%)
> 8 kg	4 (16.0%)	1378 (10.6%)
Not sure	2 (8.00%)	634 (4.88%)
Missing	-	95 (0.73%)
"How well have you eaten during the last		
week?"(n): Normal	6 (24.0%)	6226 (40 00/)
A bit less than normal	6 (24.0%) 4 (16.0%)	6236 (48.0%) 2728 (21.0%)
Less than half of normal	10 (40.0%)	1935 (14.9%)
Less than a quarter to nearly nothing	4 (16.0%)	1606 (12.4%)
Missing	1 (4.00%)	488 (3.76%)
"I ate less because"(n)*:		
Total of patients answering	17 (68.0%)	6184 (47.6%)
Loss of appetite	11 (44.0%)	3308 (25.5%)
Problems with swallowing, mastication	1 (4.00%)	611 (4.70%)
Nausea	4 (16.0%)	985 (7.58%)
Other reasons	2 (8.00%)	2377 (18.3%)
"Can you walk without assistance?"(n):		
Yes	10 (40.0%)	7370 (56.7%)
No, only with assistance	11 (44.0%)	3695 (28.4%)
No, I stay in bed	3 (12.0%)	1530 (11.8%)
Missing	1 (4.00%)	398 (3.06%)
"In general would you say your health is" (n):		477 (2 (70/)
Excellent Very good	1 (4 000/)	477 (3.67%)
Very good Good	1 (4.00%) 4 (16.0%)	1178 (9.07%) 4089 (31.5%)
Fair	4 (18.0%) 11 (44.0%)	4393 (33.8%)
Poor	8 (32.0%)	2288 (17.6%)
Missing	1 (4.00%)	568 (4.37%)
Results in percent referring to the total number of		()
1 3 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	,	



III. YOUR PATIENTS ("Sheet 3b"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	11 (44.0%)	7656 (58.9%)
No	11 (44.0%)	4168 (32.1%)
- I was not hungry	8 (72.7%)	2155 (51.7%)
 Problems with swallowing / mastication 	-	328 (7.87%)
- Nausea	3 (27.3%)	616 (14.8%)
- Others	2 (18.2%)	1062 (25.5%)
no answer	2 (8.00%)	779 (6.00%)
Fluid and supplement intake (n):		
Patients with fluid intake	23 (95.8%)	9694 (76.9%)
Drinks per patient & day (I)	1.42	0.36
Patients with supplements	3 (12.5%)	1320 (10.5%)
Supplements per patient & day (I)	0.04	0.03
"What kind of drinks did you consume?" (n)*:		
Water	22 (91.7%)	7866 (62.4%)
Milk	5 (20.8%)	2359 (18.7%)
Fruit juice	12 (50.0%)	3495 (27.7%)
Tea, coffee	20 (83.3%)	4645 (36.9%)
Soft drinks	5 (20.8%)	1270 (10.1%)
Lunch intake (n):		
All	8 (33.3%)	5279 (41.9%)
W 1/2	6 (25.0%)	3261 (25.9%)
1/2 1/4		
	8 (33.3%)	1911 (15.2%)
Nothing	2 (8.33%)	1878 (14.9%)
? No answer	-	274 (2.17%)
"I did not eat everything because" (n)*:		
I was not hungry	3 (18.8%)	2255 (30.8%)
I had nausea / vomiting	3 (18.8%)	587 (8.01%)
I was not allowed to eat	2 (12.5%)	660 (9.01%)
I can not eat without help	· · · · -	110 (1.50%)
I had an examination / surgery	1 (6.25%)	458 (6.25%)
I ordered a smaller portion	3 (18.8%)	146 (1.99%)
I was tired	-	349 (4.77%)
I normally eat less	2 (12.5%)	544 (7.43%)
I did not like the smell	-	242 (3.30%)
I did not like the taste	2 (12.5%)	936 (12.8%)



"Do you eat any food apart from hospital food?" (n): Yes No	8 (32.0%) 16 (64.0%)	4047 (31.1%) 7833 (60.3%)
No answer	-	723 (5.56%)
"What do you eat?" (n)*: Cakes, biscuits	1 (12.5%)	1241 (30.7%)
Fresh fruits	3 (37.5%)	1527 (37.7%)
Sandwiches	-	369 (9.12%)
Dairy products	1 (10 50/)	583 (14.4%)
Preferred dish	1 (12.5%)	406 (10.0%)
Sweets Fruit Juice	3 (37.5%) 2 (25.0%)	659 (16.3%) 675 (16.7%)
Others	1 (12.5%)	885 (21.9%)
"Did you need help to complete the questionnaire?" (according to patient) (n):		
Yes	22 (88.0%)	8720 (67.1%)

Results referring to the total number of completed questionnaires

