

Country Report

nutritionDay November 2014 in PARAGUAY

Dear participant,

June 2015

Thank you for your participation in nutritionDay worldwide in November 2014 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	4
Number of patients on nutritionDay:	87
Number of patients completing Sheet 3a:	86
Number of patients completing Sheet 3b:	81

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on 19th November 2015. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

herid Herak

Sigrid Kosak, MA



Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

For example: number of patients on nutritionDay 2014 = 20

Fluid status (n): dehydrated 4

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2014.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2014 = 20 Weight loss within 3 months (n)

Yes 10 Category of weight decrease (n): 0-4 kg 4 5-8 kg 2 > 8 kg 1 not sure 2 missing 1

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows: For example: Weight (kg) 75 ± 15

Median and range are displayed that way: For example: LOS (days) 8 [5-15]



I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of beds (n):		
Actual	37 ± 19	32 ± 33
Maximum	29 ± 30	39 ± 51
Number of patients on the nutritionDay (n): Total	07	14400
	87	14603 1038 (7.11%)
Did not give consent	87 (100%)	8417 (57.6%)
Needed help completing form	67 (100%)	· · ·
Terminally ill	-	826 (5.66%)
Specialities (n):		
Internal medicine / general	-	184 (25.8%)
Internal medicine / gastroenterology and	-	37 (5.20%)
hepatology		
Internal medicine / oncology (incl.	-	70 (9.83%)
radiotherapy)		
Internal medicine / cardiology	-	44 (6.18%)
Internal medicine / infectious diseases	-	4 (0.56%)
Internal medicine / geriatrics	-	53 (7.44%)
Internal medicine / nephrology	-	11 (1.54%)
Pediatrics	1 (25.0%)	27 (3.79%)
Neurology	-	19 (2.67%)
Psychiatry	-	8 (1.12%)
Ear Nose Throat (ENT)		13 (1.83%)
General surgery	1 (25.0%)	90 (12.6%)
Cardiothoracic surgery	-	9 (1.26%)
Orthopedic surgery		45 (6.32%)
Trauma	1 (25.0%)	7 (0.98%)
Neurosurgery	1 (25.0%)	10 (1.40%)
	-	10 (1.40%)
Long-term-care	-	11 (1.54%)
Others	-	60 (8.43%)
Staff /Staff per patient (n):		
Physicians	0.75 ± 0.50	5.99 ± 7.60
Physicians per patient	0.02 ± 0.03	0.19 ± 0.22
Consultants	3.00 ± 2.71	2.80 ± 5.81
Consultants per patient	0.14 ± 0.14	0.08 ± 0.16
Registrars	3.75 ± 2.22	2.77 ± 10.24
Registrars per patient	0.10 ± 0.09	0.06 ± 0.13
Nurses	20.00 ± 24.29	9.02 ± 9.73
Nurses per patient	0.48 ± 0.33	0.27 ± 0.27
Nursing aides	2.00 ± 2.83	4.76 ± 13.73
	2.00 ± 2.00	



Nursing aides per patient	0.03 ± 0.05	0.11 ± 0.20
Dieticians and dietetic assistants	1.75 ± 0.96	1.38 ± 1.95
Dieticians and dietetic assistants per pat.	0.06 ± 0.03	0.04 ± 0.04
Nutrition Care:		
Nutrition Team	4 units (100%) Yes	556 units (78%) Yes
Written procedures		
- individual	2 units (50%) Yes	439 units (62%) Yes
- local	3 units (75%) Yes	287 units (40%) Yes
- national	1 units (25%) Yes	314 units (44%) Yes
- other	- units (00%) Yes	103 units (14%) Yes
Patients' weight assessed:		
On admission	2 units (50%) Yes	534 units (75%) Yes
When requested	- units (00%) Yes	377 units (53%) Yes
Once a week	- units (00%) Yes	278 units (39%) Yes
Occasionally	- units (00%) Yes	77 units (11%) Yes
Never	2 units (50%) Yes	16 units (02%) Yes



II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of patients (n):		
Total	87	14603
Patients who completed sheet 3a	86 (98.9%)	12993 (89.0%)
Patients who completed sheet 3b	81 (93.1%)	12603 (86.3%)
Demographic data:		
Age (years)	28 [5-96]	67 [1-110]
Female gender	20 (23.0%)	7396 (50.6%)
Weight (kg)	69.4 ± 16.0	70.1 ± 20.6
Height (cm)	166.8 ± 11.8	164.4 ± 12.9
BMI (kg/m²)	24.6 ± 3.9	25.7 ± 6.4
ICU-stay:		
Any ICU-stay	12 (13.8%)	1638 (11.2%)
Surgery (n):		
Preoperative patients	35 (40.2%)	1198 (8.20%)
Postoperative patients	40 (46.0%)	3544 (24.3%)
Length of stay in Hospital (days):	15 [1-139]	11 [1-666]
Outcome after 30 days (n):		
Still in hospital	12 (13.8%)	1571 (10.8%)
Transferred to another hospital	1 (1.15%)	400 (2.74%)
Transferred to long-term care	-	774 (5.30%)
Rehabilitation	-	535 (3.66%)
Discharge home	73 (83.9%)	10301 (70.5%)
Death	-	505 (3.46%)
Others	1 (1.15%)	218 (1.49%)
Missing	-	299 (2.05%)
Readmitted (n):	-	1255 (8.59%)

Results in percent referring to the total number of patients



II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Nutrition therapy (n)*:		
Enteral nutrition Parenteral nutrition	7 (8.05%)	861 (5.90%) 467 (3.20%)
Enteral + parenteral nutrition	-	91 (0.62%)
Special diet	8 (9.20%)	4371 (29.9%)
Protein supplement	8 (9.20%)	1555 (10.6%)
Hospital food Others	65 (74.7%)	8212 (56.2%) 774 (5.30%)
Missing	2 (2.30%)	517 (3.54%)
Lines & tubes (n)*:		
None	78 (89.7%)	9592 (65.7%)
Centralvenous	-	1025 (7.02%)
Nasogastric tube Any other (PEG, PEJ,)	6 (6.90%) 3 (3.45%)	386 (2.64%) 3600 (24.7%)
	0 (0.1070)	0000 (21.770)
Affected organs (n)*:		
Brain, nerves Eye, ear	22 (25.3%)	1961 (13.4%) 265 (1.81%)
Nose, throat	1 (1.15%)	296 (2.03%)
Heart, circulation	-	2966 (20.3%)
Lung	2 (2.30%)	2175 (14.9%)
Liver Gastrointestinal tract	- 10 (11.5%)	674 (4.62%) 2685 (18.4%)
Kidney, urinary tract, female genital tract	-	2151 (14.7%)
Endocrine system	-	1109 (7.59%)
Skeleton, bone, muscle	64 (73.6%)	2645 (18.1%)
Blood, bone marrow Skin	-	631 (4.32%) 576 (3.94%)
Ischaemia	-	116 (0.79%)
Cancer	-	1957 (13.4%)
Infection	-	934 (6.40%)
Pregnancy Others	-	106 (0.73%) 914 (6.26%)
No affected organ	1 (1.15%)	613 (4.20%)
Comorbidities (n)*:		
Diabetes I/II	3 (3.45%)	3064 (21.0%)
Stroke COPD	-	907 (6.21%) 1117 (7.65%)
Myocardial infarction	-	537 (3.68%)
Cardiac insufficiency	-	1757 (12.0%)
Others No comorbidity	1 (1.15%)	5885 (40.3%)
No comorbidity	83 (95.4%)	5127 (35.1%)

Results in percent referring to the total number of patients



III. YOUR PATIENTS ("Sheet 3a"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Weight loss within the last 3 months (n):		
Total of patients answering	83 (96.5%)	12546 (96.6%)
Yes	39 (45.3%)	5548 (42.7%)
No	39 (45.3%)	4958 (38.2%)
No, I've gained weight	-	1013 (7.80%)
I don't know	5 (5.81%)	1027 (7.90%)
Category of weight decrease (n):		
Patients reporting weight loss	39 (45.3%)	5548 (42.7%)
0-4 kg	31 (36.0%)	2434 (18.7%)
5-8 kg	3 (3.49%)	1007 (7.75%)
> 8 kg	1 (1.16%)	1378 (10.6%)
Not sure	4 (4.65%)	634 (4.88%)
Missing	-	95 (0.73%)
"How well have you eaten during the last		
week?"(n):		
Normal	57 (66.3%)	6236 (48.0%)
A bit less than normal	17 (19.8%) E (E 91%)	2728 (21.0%)
Less than half of normal	5 (5.81%) 1 (1.16%)	1935 (14.9%)
Less than a quarter to nearly nothing Missing	1 (1.16%) 6 (6.98%)	1606 (12.4%) 488 (3.76%)
iviissii ig	0 (0.7070)	400 (0.7070)
"I ate less because"(n)*:		
Total of patients answering	19 (22.1%)	6184 (47.6%)
Loss of appetite	12 (14.0%)	3308 (25.5%)
Problems with swallowing, mastication	2 (2.33%)	611 (4.70%)
Nausea Other reasons	5 (5.81%) 1 (1.16%)	985 (7.58%) 2377 (18.3%)
Other reasons	1 (1.10%)	2377 (10.3%)
"Can you walk without assistance?"(n):		
Yes	19 (22.1%)	7370 (56.7%)
No, only with assistance	19 (22.1%)	3695 (28.4%)
No, I stay in bed	44 (51.2%)	1530 (11.8%)
Missing	4 (4.65%)	398 (3.06%)
"In general would you say your health is" (n):		/
Excellent	11 (12.8%)	477 (3.67%)
Very good	21 (24.4%)	1178 (9.07%)
Good	32 (37.2%)	4089 (31.5%)
Fair	15 (17.4%)	4393 (33.8%)
Poor	1 (1.16%)	2288 (17.6%)
Missing Results in percent referring to the total number of	6 (6.98%)	568 (4.37%)

Results in percent referring to the total number of patients answering



III. YOUR PATIENTS ("Sheet 3b"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	61 (70.9%)	7656 (58.9%)
No	17 (19.8%)	4168 (32.1%)
- I was not hungry	14 (82.4%)	2155 (51.7%)
 Problems with swallowing / mastication 	-	328 (7.87%)
- Nausea	1 (5.88%)	616 (14.8%)
- Others	-	1062 (25.5%)
no answer	3 (3.49%)	779 (6.00%)
Fluid and supplement intake (n):		
Patients with fluid intake	60 (74.1%)	9694 (76.9%)
Drinks per patient & day (I)	0.30	0.36
Patients with supplements	5 (6.17%)	1320 (10.5%)
Supplements per patient & day (I)	0.02	0.03
"What kind of drinks did you consume?" (n)*:		
Water	69 (85.2%)	7866 (62.4%)
Milk	48 (59.3%)	2359 (18.7%)
Fruit juice	64 (79.0%)	3495 (27.7%)
Tea, coffee	3 (3.70%)	4645 (36.9%)
Soft drinks	-	1270 (10.1%)
Lunch intake (n):		
	48 (59.3%)	5279 (41.9%)
14 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A	15 (18.5%)	3261 (25.9%)
1/2 1/4		1911 (15.2%)
	7 (8.64%)	· · ·
	11 (13.6%)	1878 (14.9%)
? No answer	-	274 (2.17%)
", I did not eat everything because" (n)*:		
I was not hungry	14 (42.4%)	2255 (30.8%)
l had nausea / vomiting	3 (9.09%)	587 (8.01%)
I was not allowed to eat	-	660 (9.01%)
I can not eat without help	-	110 (1.50%)
I had an examination / surgery	6 (18.2%)	458 (6.25%)
l ordered a smaller portion	1 (3.03%)	146 (1.99%)
I was tired	-	349 (4.77%)
I normally eat less	-	544 (7.43%)
I did not like the smell	-	242 (3.30%)
I did not like the taste	1 (3.03%)	936 (12.8%)



"Do you eat any food apart from hospital food?" (n): Yes No No answer	70 (81.4%) 7 (8.14%) 4 (4.65%)	4047 (31.1%) 7833 (60.3%) 723 (5.56%)
"What do you eat?" (n)*:		
Cakes, biscuits	28 (40.0%)	1241 (30.7%)
Fresh fruits	31 (44.3%)	1527 (37.7%)
Sandwiches	5 (7.14%)	369 (9.12%)
Dairy products	32 (45.7%)	583 (14.4%)
Preferred dish	-	406 (10.0%)
Sweets	4 (5.71%)	659 (16.3%)
Fruit Juice	53 (75.7%)	675 (16.7%)
Others	1 (1.43%)	885 (21.9%)
"Did you need help to complete the questionnaire?" (according to patient) (n): Yes	68 (79.1%)	8720 (67.1%)

Results referring to the total number of completed questionnaires

