



# nutritionDay November 2014 in EL SALVADOR

Dear participant,

June 2015

Thank you for your participation in nutritionDay worldwide in November 2014 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	6
Number of patients on nutritionDay:	120
Number of patients completing Sheet 3a:	120
Number of patients completing Sheet 3b:	120

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on 19<sup>th</sup> November 2015. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

herid Herak

Sigrid Kosak, MA



Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

For example: number of patients on nutritionDay 2014 = 20

Fluid status (n): dehydrated 4

**Explanation**: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2014.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2014 = 20 Weight loss within 3 months (n)

Yes 10 Category of weight decrease (n): 0-4 kg 4 5-8 kg 2 > 8 kg 1 not sure 2 missing 1

**Explanation:** 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)\*

Mean and standard deviation are displayed as follows: For example: Weight (kg)  $75 \pm 15$ 

Median and range are displayed that way: For example: LOS (days) 8 [5-15]



## I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of beds (n):		
Actual	62 ± 6	32 ± 33
Maximum	62 ± 6	39 ± 51
Number of patients on the nutritionDay (n):		
Total	120	14603
Did not give consent	-	1038 (7.11%)
Needed help completing form	120 (100%)	8417 (57.6%)
Terminally ill	7 (5.83%)	826 (5.66%)
Specialities (n):		
Internal medicine / general	2 (33.3%)	184 (25.8%)
Internal medicine / gastroenterology and hepatology	-	37 (5.20%)
Internal medicine / oncology (incl.	1 (16.7%)	70 (9.83%)
radiotherapy)		
Internal medicine / cardiology	-	44 (6.18%)
Internal medicine / infectious diseases	-	4 (0.56%)
Internal medicine / geriatrics	-	53 (7.44%)
Internal medicine / nephrology Pediatrics	-	11 (1.54%)
Neurology	-	27 (3.79%) 19 (2.67%)
Psychiatry	-	8 (1.12%)
Ear Nose Throat (ENT)	-	13 (1.83%)
General surgery	1 (16.7%)	90 (12.6%)
Cardiothoracic surgery	-	9 (1.26%)
Orthopedic surgery	1 (16.7%)	45 (6.32%)
Trauma	-	7 (0.98%)
Neurosurgery	1 (16.7%)	10 (1.40%)
Gynecology	-	10 (1.40%)
Long-term-care	-	11 (1.54%)
Others	-	60 (8.43%)
Staff /Staff per patient (n):		
Physicians	$1.00 \pm 0.00$	5.99 ± 7.60
Physicians per patient	$0.02 \pm 0.00$	$0.19 \pm 0.22$
Consultants	$7.00 \pm 2.37$	2.80 ± 5.81
Consultants per patient	0.11 ± 0.03	0.08 ± 0.16
Registrars	3.67 ± 1.37	2.77 ± 10.24
Registrars per patient	$0.06 \pm 0.02$	0.06 ± 0.13
Nurses	6.83 ± 1.33	9.02 ± 9.73
Nurses per patient	$0.11 \pm 0.02$	$0.27 \pm 0.27$
Nursing aides	6.83 ± 1.17	4.76 ± 13.73



Nursing aides per patient	0.11 ± 0.02	0.11 ± 0.20
Dieticians and dietetic assistants	$0.00 \pm 0.00$	1.38 ± 1.95
Dieticians and dietetic assistants per pat.	$0.00 \pm 0.00$	$0.04 \pm 0.04$
Nutrition Care:		
Nutrition Team	6 units (100%) Yes	556 units (78%) Yes
Written procedures		
- individual	- units (00%) Yes	439 units (62%) Yes
- local	- units (00%) Yes	287 units (40%) Yes
- national	- units (00%) Yes	314 units (44%) Yes
- other	- units (00%) Yes	103 units (14%) Yes
Patients' weight assessed:		
On admission	- units (00%) Yes	534 units (75%) Yes
When requested	6 units (100%) Yes	377 units (53%) Yes
Once a week	- units (00%) Yes	278 units (39%) Yes
Occasionally	- units (00%) Yes	77 units (11%) Yes
Never	- units (00%) Yes	16 units (02%) Yes



## II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	<b>REFERENCE ND-14</b>
<b>Number of patients (n):</b> Total Patients who completed sheet 3a Patients who completed sheet 3b	120 120 (100%) 120 (100%)	14603 12993 (89.0%) 12603 (86.3%)
<b>Demographic data:</b> Age (years) Female gender	54 [21-101] 56 (46.7%)	67 [1-110] 7396 (50.6%)
Weight (kg) Height (cm) BMI (kg/m²)	68.6 ± 13.6 163.4 ± 8.7 25.7 ± 4.6	70.1 ± 20.6 164.4 ± 12.9 25.7 ± 6.4
<b>ICU-stay:</b> Any ICU-stay	10 (8.33%)	1638 (11.2%)
<b>Surgery (n)</b> : Preoperative patients Postoperative patients	23 (19.2%) 31 (25.8%)	1198 (8.20%) 3544 (24.3%)
Length of stay in Hospital (days):	15 [2-172]	11 [1-666]
Outcome after 30 days (n): Still in hospital Transferred to another hospital Transferred to long-term care Rehabilitation Discharge home Death Others Missing	9 (7.50%) - 1 (0.83%) 109 (90.8%) 1 (0.83%) - -	1571 (10.8%) 400 (2.74%) 774 (5.30%) 535 (3.66%) 10301 (70.5%) 505 (3.46%) 218 (1.49%) 299 (2.05%)
Readmitted (n):	-	1255 (8.59%)

Results in percent referring to the total number of patients



#### II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	<b>REFERENCE ND-14</b>
Nutrition therapy (n)*: Enteral nutrition	1 (0.83%)	861 (5.90%)
Parenteral nutrition	-	467 (3.20%)
Enteral + parenteral nutrition Special diet	1 (0.83%) 30 (25.0%)	91 (0.62%) 4371 (29.9%)
Protein supplement	11 (9.17%) 80 (66.7%)	1555 (10.6%) 8212 (56.2%)
Hospital food Others	2 (1.67%)	774 (5.30%)
Missing	4 (3.33%)	517 (3.54%)
Lines & tubes (n)*:	100 (00 0%)	
None Centralvenous	108 (90.0%)	9592 (65.7%) 1025 (7.02%)
Nasogastric tube Any other (PEG, PEJ,)	3 (2.50%) 9 (7.50%)	386 (2.64%) 3600 (24.7%)
	9 (7.50%)	5000 (24.776)
Affected organs (n)*: Brain, nerves	13 (10.8%)	1961 (13.4%)
Eye, ear	2 (1.67%)	265 (1.81%)
Nose, throat Heart, circulation	- 9 (7.50%)	296 (2.03%) 2966 (20.3%)
Lung Liver	10 (8.33%) 6 (5.00%)	2175 (14.9%) 674 (4.62%)
Gastrointestinal tract	7 (5.83%)	2685 (18.4%)
Kidney, urinary tract, female genital tract Endocrine system	12 (10.0%) 6 (5.00%)	2151 (14.7%) 1109 (7.59%)
Skeleton, bone, muscle	45 (37.5%)	2645 (18.1%)
Blood, bone marrow Skin	2 (1.67%) 1 (0.83%)	631 (4.32%) 576 (3.94%)
lschaemia Cancer	1 (0.83%)	116 (0.79%) 1957 (13.4%)
Infection	-	934 (6.40%)
Pregnancy Others	- 10 (8.33%)	106 (0.73%) 914 (6.26%)
No affected organ	-	613 (4.20%)
Comorbidities (n)*:		
Diabetes I/II Stroke	22 (18.3%) 4 (3.33%)	3064 (21.0%) 907 (6.21%)
COPD	5 (4.17%)	1117 (7.65%)
Myocardial infarction Cardiac insufficiency	- 2 (1.67%)	537 (3.68%) 1757 (12.0%)
Others No comorbidity	42 (35.0%) 49 (40.8%)	5885 (40.3%) 5127 (35.1%)
NO COMOIDIAILY	47 (40.070)	5127(33.170)

Results in percent referring to the total number of patients



#### III. YOUR PATIENTS ("Sheet 3a"):

	712 units, 14603 patients	
	YOUR RESULTS	<b>REFERENCE ND-14</b>
Weight loss within the last 3 months (n):		
Total of patients answering	117 (97.5%)	12546 (96.6%)
Yes	63 (52.5%)	5548 (42.7%)
No	34 (28.3%)	4958 (38.2%)
No, l've gained weight	17 (14.2%)	1013 (7.80%)
I don't know	3 (2.50%)	1027 (7.90%)
Category of weight decrease (n):		
Patients reporting weight loss	63 (52.5%)	5548 (42.7%)
0-4 kg	36 (30.0%)	2434 (18.7%)
5-8 kg	9 (7.50%)	1007 (7.75%)
> 8 kg	16 (13.3%)	1378 (10.6%)
Not sure	2 (1.67%)	634 (4.88%)
Missing	-	95 (0.73%)
"How well have you eaten during the last week?"(n):		
Normal	43 (35.8%)	6236 (48.0%)
A bit less than normal	30 (25.0%)	2728 (21.0%)
Less than half of normal	29 (24.2%)	1935 (14.9%)
Less than a quarter to nearly nothing	18 (15.0%)	1606 (12.4%)
Missing	-	488 (3.76%)
"I ate less because"(n)*:		
Total of patients answering	70 (58.3%)	6184 (47.6%)
Loss of appetite	31 (25.8%)	3308 (25.5%)
Problems with swallowing, mastication	10 (8.33%)	611 (4.70%)
Nausea	13 (10.8%)	985 (7.58%)
Other reasons	18 (15.0%)	2377 (18.3%)
"Can you walk without assistance?"(n):		
Yes	55 (45.8%)	7370 (56.7%)
No, only with assistance	42 (35.0%)	3695 (28.4%)
No, I stay in bed	20 (16.7%)	1530 (11.8%)
Missing	3 (2.50%)	398 (3.06%)
"In general would you say your health is" (n):		
Excellent	8 (6.67%)	477 (3.67%)
Very good	16 (13.3%)	1178 (9.07%)
Good	45 (37.5%)	4089 (31.5%)
Fair	40 (33.3%)	4393 (33.8%)
Poor	11 (9.17%)	2288 (17.6%)
Missing Results in percent referring to the total number of	-	568 (4.37%)

Results in percent referring to the total number of patients answering



	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	62 (51.7%)	7656 (58.9%)
No	56 (46.7%)	4168 (32.1%)
- I was not hungry	28 (50.0%)	2155 (51.7%)
- Problems with swallowing / mastication	4 (7.14%)	328 (7.87%)
- Nausea	14 (25.0%)	616 (14.8%)
- Others	8 (14.3%)	1062 (25.5%)
no answer	2 (1.67%)	779 (6.00%)
Fluid and supplement intake (n):		
Patients with fluid intake	109 (90.8%)	9694 (76.9%)
Drinks per patient & day (I)	0.59	0.36
Patients with supplements	23 (19.2%)	1320 (10.5%)
	· · ·	, ,
Supplements per patient & day (I)	0.05	0.03
",What kind of drinks did you consume?" (n)*:	/	
Water	77 (64.2%)	7866 (62.4%)
Milk	31 (25.8%)	2359 (18.7%)
Fruit juice	37 (30.8%)	3495 (27.7%)
Tea, coffee	35 (29.2%)	4645 (36.9%)
Soft drinks	60 (50.0%)	1270 (10.1%)
Lunch intake (n):		
i All	42 (35.0%)	5279 (41.9%)
i 1/2	32 (26.7%)	3261 (25.9%)
× 1/4	32 (26.7%)	1911 (15.2%)
	, ,	· · · · ·
Nothing	14 (11.7%)	1878 (14.9%)
? No answer	-	274 (2.17%)
",I did not eat everything because" (n)*:		
I was not hungry	26 (33.3%)	2255 (30.8%)
I had nausea / vomiting	15 (19.2%)	587 (8.01%)
I was not allowed to eat	3 (3.85%)	660 (9.01%)
I can not eat without help	3 (3.85%)	110 (1.50%)
I had an examination / surgery	2 (2.56%)	458 (6.25%)
I ordered a smaller portion	_ (2.0070)	146 (1.99%)
I was tired	1 (1.28%)	349 (4.77%)
I normally eat less	· · ·	, ,
I did not like the smell	1 (1.28%)	544 (7.43%)
I did not like the taste	4 (5.13%)	242 (3.30%)
	18 (23.1%)	936 (12.8%)



<b>"Do you eat any food apart from hospital food?" (n):</b> Yes No No answer	34 (28.3%) 81 (67.5%) 5 (4.17%)	4047 (31.1%) 7833 (60.3%) 723 (5.56%)
"What do you eat?" (n)*:		
Cakes, biscuits	14 (41.2%)	1241 (30.7%)
Fresh fruits	13 (38.2%)	1527 (37.7%)
Sandwiches	4 (11.8%)	369 (9.12%)
Dairy products	2 (5.88%)	583 (14.4%)
Preferred dish	2 (5.88%)	406 (10.0%)
Sweets	4 (11.8%)	659 (16.3%)
Fruit Juice	8 (23.5%)	675 (16.7%)
Others	2 (5.88%)	885 (21.9%)
"Did you need help to complete the questionnaire?" (according to patient) (n): Yes	112 (93.3%)	8720 (67.1%)

Results referring to the total number of completed questionnaires

