



nutritionDay November 2014 in UNITED ARAB EMIRATES

Dear participant,

June 2015

Thank you for your participation in nutritionDay worldwide in November 2014 and for your effort. We can finally present you your preliminary country report of the following sample size:

Number of units on nutritionDay:	6
Number of patients on nutritionDay:	85
Number of patients completing Sheet 3a:	85
Number of patients completing Sheet 3b:	80

The report consists of 3 parts:

Part I reflects the organisation and the structure of the unit.

Part II describes the patients according to questionnaire "sheet 2".

Part III is the summary of information on nutrition given by the patients according to sheet 3a and 3b.

You will find some explanations how to read and interpret the data on the next page.

Next year's nutritionDay will take place on 19th November 2015. Again, we would very much appreciate your participation. You will be provided with further information on a regular basis.

Best regards from the nutritionDay-Team!

Prof. Dr. Michael Hiesmayr

hiprid Horak

Sigrid Kosak, MA



Your report is configured as table with 3 columns. The first column contains the name of the result, possibly with a short description. In the second column you will find your unit's results and in the third column you can see the reference values from units comparable to your patients.

You will find "(n)" in brackets indicating that results are referring to a certain number of patients. Generally the patients' results are based on the number of patients participating at your unit.

For example: number of patients on nutritionDay 2014 = 20

Fluid status (n): dehydrated 4

Explanation: 4 of 20 patients participating are reported to be dehydrated on nutritionDay 2014.

If results are referring to an "n" different to the number of patients participating, a short explanation will be given.

For example: number of patients on nutritionDay 2014 = 20 Weight loss within 3 months (n)

Yes 10 Category of weight decrease (n): 0-4 kg 4 5-8 kg 2 > 8 kg 1 not sure 2 missing 1

Explanation: 10 of 20 patients reported a weight loss within the last 3 months. The category of weight decrease is only referring to these 10 patients having lost weight.

Be careful! - There are some multiple choice questions in the questionnaires. In this case the total number of answers exceeds the number of patients. These results are marked with an asterisk.

For example: Affected organs (n)*

Mean and standard deviation are displayed as follows: For example: Weight (kg) 75 ± 15

Median and range are displayed that way: For example: LOS (days) 8 [5-15]



I. DESCRIPTION OF THE UNIT ("Sheet 1"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of beds (n): Actual	32 ± 8	32 ± 33
Maximum	32 ± 0 33 ± 8	32 ± 33 39 ± 51
Maximum	55 ± 0	57 ± 51
Number of patients on the nutritionDay (n):		
Total	85	14603
Did not give consent	-	1038 (7.11%)
Needed help completing form	79 (92.9%)	8417 (57.6%)
Terminally ill	4 (4.71%)	826 (5.66%)
Specialities (n):		
Internal medicine / general	2 (33.3%)	184 (25.8%)
Internal medicine / gastroenterology and	-	37 (5.20%)
hepatology		
Internal medicine / oncology (incl.	1 (16.7%)	70 (9.83%)
radiotherapy)		
Internal medicine / cardiology	-	44 (6.18%)
Internal medicine / infectious diseases	-	4 (0.56%)
Internal medicine / geriatrics	-	53 (7.44%)
Internal medicine / nephrology	-	11 (1.54%)
Pediatrics	2 (33.3%)	27 (3.79%)
Neurology	-	19 (2.67%)
Psychiatry Ear Nose Throat (ENT)	-	8 (1.12%) 13 (1.83%)
General surgery	1 (16.7%)	90 (12.6%)
Cardiothoracic surgery		9 (1.26%)
Orthopedic surgery	-	45 (6.32%)
Trauma	_	7 (0.98%)
Neurosurgery	-	10 (1.40%)
Gynecology	-	10 (1.40%)
Long-term-care	-	11 (1.54%)
Others	-	60 (8.43%)
Staff /Staff per patient (n):		
Physicians	13.00 ± 14.11	5.99 ± 7.60
Physicians per patient	0.37 ± 0.37	0.19 ± 0.22
Consultants	8.67 ± 5.50	2.80 ± 5.81
Consultants per patient	0.26 ± 0.14	0.08 ± 0.16
Registrars	14.00 ± 13.44	2.77 ± 10.24
Registrars per patient	0.41 ± 0.39	0.06 ± 0.13
Nurses	16.00 ± 15.03	9.02 ± 9.73
Nurses per patient	0.46 ± 0.39	9.02 ± 9.73 0.27 ± 0.27
Nursing aides	0.40 ± 0.59 0.50 ± 0.58	4.76 ± 13.73
	0.00 ± 0.00	T. IO 1 10.10



Nursing aides per patient	0.01 ± 0.02	0.11 ± 0.20
Dieticians and dietetic assistants	1.33 ± 0.82	1.38 ± 1.95
Dieticians and dietetic assistants per pat.	0.04 ± 0.02	0.04 ± 0.04
Nutrition Care:		
Nutrition Team	5 units (83%) Yes	556 units (78%) Yes
Written procedures		
- individual	- units (00%) Yes	439 units (62%) Yes
- local	- units (00%) Yes	287 units (40%) Yes
- national	6 units (100%) Yes	314 units (44%) Yes
- other	- units (00%) Yes	103 units (14%) Yes
Patients' weight assessed:		
On admission	6 units (100%) Yes	534 units (75%) Yes
When requested	6 units (100%) Yes	377 units (53%) Yes
Once a week	- units (00%) Yes	278 units (39%) Yes
Occasionally	- units (00%) Yes	77 units (11%) Yes
Never	- units (00%) Yes	16 units (02%) Yes



II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Number of patients (n):		
Total	85	14603
Patients who completed sheet 3a	85 (100%)	12993 (89.0%)
Patients who completed sheet 3b	80 (94.1%)	12603 (86.3%)
Demographic data:		
Age (years)	53 [9-110]	67 [1-110]
Female gender	40 (47.1%)	7396 (50.6%)
Weight (kg)	67.7 ± 24.5	70.1 ± 20.6
Height (cm)	159.7 ± 11.0	164.4 ± 12.9
BMI (kg/m²)	26.9 ± 8.0	25.7 ± 6.4
ICU-stay:		
Any ICU-stay	19 (22.4%)	1638 (11.2%)
Surgery (n):		
Preoperative patients	2 (2.35%)	1198 (8.20%)
Postoperative patients	18 (21.2%)	3544 (24.3%)
Length of stay in Hospital (days):	10 [2-93]	11 [1-666]
Outcome after 30 days (n):		
Still in hospital	18 (21.2%)	1571 (10.8%)
Transferred to another hospital	3 (3.53%)	400 (2.74%)
Transferred to long-term care	1 (1.18%)	774 (5.30%)
Rehabilitation	4 (4.71%)	535 (3.66%)
Discharge home	45 (52.9%)	10301 (70.5%)
Death	2 (2.35%)	505 (3.46%)
Others	12 (14.1%)	218 (1.49%)
Missing	-	299 (2.05%)
Readmitted (n):	11 (12.9%)	1255 (8.59%)

Results in percent referring to the total number of patients



II. YOUR PATIENTS ("Sheet 2"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Nutrition therapy (n)*:		
Enteral nutrition	11 (12.9%)	861 (5.90%)
Parenteral nutrition	4 (4.71%)	467 (3.20%)
Enteral + parenteral nutrition	-	91 (0.62%)
Special diet	50 (58.8%)	4371 (29.9%)
Protein supplement	21 (24.7%)	1555 (10.6%)
Hospital food	29 (34.1%)	8212 (56.2%)
Others Missing	2 (2.35%)	774 (5.30%) 517 (3.54%)
111551119		017 (0.0470)
Lines & tubes (n)*:	0 (0 410/)	
None	8 (9.41%)	9592 (65.7%) 1025 (7.02%)
Centralvenous Nasogastric tube	7 (8.24%) 4 (4.71%)	386 (2.64%)
Any other (PEG, PEJ,)	66 (77.6%)	3600 (24.7%)
Affected organs (n)*:		
Brain, nerves	20 (23.5%)	1961 (13.4%)
Eye, ear Nose, throat	2 (2.35%)	265 (1.81%) 296 (2.03%)
Heart, circulation	16 (18.8%)	2966 (20.3%)
Lung	5 (5.88%)	2175 (14.9%)
Liver	3 (3.53%)	674 (4.62%)
Gastrointestinal tract	18 (21.2%)	2685 (18.4%)
Kidney, urinary tract, female genital tract	15 (17.6%)	2151 (14.7%)
Endocrine system	3 (3.53%)	1109 (7.59%)
Skeleton, bone, muscle	26 (30.6%)	2645 (18.1%)
Blood, bone marrow Skin	6 (7.06%)	631 (4.32%) 576 (2.04%)
Ischaemia	6 (7.06%)	576 (3.94%) 116 (0.79%)
Cancer	7 (8.24%)	1957 (13.4%)
Infection	2 (2.35%)	934 (6.40%)
Pregnancy	-	106 (0.73%)
Others	12 (14.1%)	914 (6.26%)
No affected organ	-	613 (4.20%)
Comorbidities (n)*:		
Diabetes I/II	29 (34.1%)	3064 (21.0%)
Stroke	13 (15.3%)	907 (6.21%)
COPD	1 (1.18%)	1117 (7.65%)
Myocardial infarction	4 (4.71%)	537 (3.68%)
Cardiac insufficiency	8 (9.41%) 49 (57.6%)	1757 (12.0%)
Others No comorbidity	49 (57.6%) 16 (18.8%)	5885 (40.3%) 5127 (35.1%)
No comorbidity	10 (10.070)	5127 (55.170)

Results in percent referring to the total number of patients



III. YOUR PATIENTS ("Sheet 3a"):

	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Woight loss within the last 2 months (n):		
Weight loss within the last 3 months (n): Total of patients answering	82 (96.5%)	12546 (96.6%)
Yes	30 (35.3%)	5548 (42.7%)
No	24 (28.2%)	4958 (38.2%)
No, I've gained weight	13 (15.3%)	1013 (7.80%)
I don't know	15 (17.6%)	1027 (7.90%)
Category of weight decrease (n):		
Patients reporting weight loss	30 (35.3%)	5548 (42.7%)
0-4 kg	12 (14.1%)	2434 (18.7%)
5-8 kg	5 (5.88%)	1007 (7.75%)
> 8 kg	6 (7.06%)	1378 (10.6%)
Not sure	7 (8.24%)	634 (4.88%)
Missing	-	95 (0.73%)
"How well have you eaten during the last week?"(n):		
Normal	30 (35.3%)	6236 (48.0%)
A bit less than normal	18 (21.2%)	2728 (21.0%)
Less than half of normal	9 (10.6%)	1935 (14.9%)
Less than a quarter to nearly nothing	17 (20.0%)	1606 (12.4%)
Missing	11 (12.9%)	488 (3.76%)
"I ate less because"(n)*:		
Total of patients answering	41 (48.2%)	6184 (47.6%)
Loss of appetite	23 (27.1%)	3308 (25.5%)
Problems with swallowing, mastication	3 (3.53%)	611 (4.70%)
Nausea	6 (7.06%)	985 (7.58%)
Other reasons	20 (23.5%)	2377 (18.3%)
"Can you walk without assistance?"(n):		
Yes	43 (50.6%)	7370 (56.7%)
No, only with assistance	24 (28.2%)	3695 (28.4%)
No, I stay in bed	14 (16.5%)	1530 (11.8%)
Missing	4 (4.71%)	398 (3.06%)
"In general would you say your health is" (n):		
Excellent	5 (5.88%)	477 (3.67%)
Very good	15 (17.6%)	1178 (9.07%)
Good	31 (36.5%)	4089 (31.5%)
Fair Poor	24 (28.2%)	4393 (33.8%)
Missing	8 (9.41%) 2 (2.35%)	2288 (17.6%) 568 (4.37%)
Results in percent referring to the total number of	· · /	000 (4.0770)

Results in percent referring to the total number of patients answering



	712 units, 14603 patients	
	YOUR RESULTS	REFERENCE ND-14
Hospital food intake:		
"Is your appetite normal?" (n):		
Yes	38 (44.7%)	7656 (58.9%)
No	29 (34.1%)	4168 (32.1%)
- I was not hungry	5 (17.2%)	2155 (51.7%)
- Problems with swallowing / mastication	3 (10.3%)	328 (7.87%)
- Nausea	3 (10.3%)	616 (14.8%)
- Others	18 (62.1%)	1062 (25.5%)
no answer	13 (15.3%)	779 (6.00%)
Fluid and supplement intake (n):		
Patients with fluid intake	57 (71.3%)	9694 (76.9%)
Drinks per patient & day (I)	0.26	0.36
Patients with supplements	18 (22.5%)	1320 (10.5%)
Supplements per patient & day (I)	0.05	0.03
"What kind of drinks did you consume?" (n)*:		
Water	52 (65.0%)	7866 (62.4%)
Milk	24 (30.0%)	2359 (18.7%)
Fruit juice	30 (37.5%)	3495 (27.7%)
Tea, coffee	20 (25.0%)	4645 (36.9%)
Soft drinks	2 (2.50%)	1270 (10.1%)
Lunch intake (n):		
i All	10 (12.5%)	5279 (41.9%)
iii 1/2	20 (25.0%)	3261 (25.9%)
1/4	15 (18.8%)	1911 (15.2%)
Nothing	35 (43.8%)	1878 (14.9%)
? No answer	33 (43.070)	, ,
	-	274 (2.17%)
"I did not eat everything because" (n)*:		
I was not hungry	10 (14.3%)	2255 (30.8%)
I had nausea / vomiting	3 (4.29%)	587 (8.01%)
I was not allowed to eat	6 (8.57%)	660 (9.01%)
I can not eat without help	1 (1.43%)	110 (1.50%)
I had an examination / surgery	3 (4.29%)	458 (6.25%)
l ordered a smaller portion	1 (1.43%)	146 (1.99%)
I was tired	7 (10.0%)	349 (4.77%)
I normally eat less	5 (7.14%)	544 (7.43%)
I did not like the smell	3 (4.29%)	242 (3.30%)
I did not like the taste	14 (20.0%)	936 (12.8%)



"Do you eat any food apart from hospital food?" (n): Yes No No answer	23 (27.1%) 48 (56.5%) 9 (10.6%)	4047 (31.1%) 7833 (60.3%) 723 (5.56%)
"What do you eat?" (n)*: Cakes, biscuits	-	1241 (30.7%)
Fresh fruits	2 (8.70%)	1527 (37.7%)
Sandwiches	7 (30.4%)	369 (9.12%)
Dairy products	2 (8.70%)	583 (14.4%)
Preferred dish	3 (13.0%)	406 (10.0%)
Sweets	-	659 (16.3%)
Fruit Juice	2 (8.70%)	675 (16.7%)
Others	11 (47.8%)	885 (21.9%)
"Did you need help to complete the questionnaire?" (according to patient) (n): Yes	69 (81.2%)	8720 (67.1%)

Results referring to the total number of completed questionnaires

