Country Report nutritionDay 2021 Panama

Dear participant,

Thank you for participating to nutritionDay worldwide in 2021. Your country report consists of the following sample size:

Number of participated center:	1
Number of participated units:	13
Number of patients:	151
Number of patients who gave consent:	151
Number of patients completing Sheet 3a:	150
Number of patients completing Sheet 3b:	150
Number of patients with 30-day outcome assessment:	149

This report compares your country data to the international reference database based on data from nutritionDay 2017-2019.

The report consists of 5 parts:

Part I reflects capacity and staffing of your hospitals.

Part II reflects the organisation and the structure of the units.


Part III describes patient's demographics, the clinical information and the outcome.

Part IV is the summary of information on patient's nutrition, history and health status.

Part V COVID-19

Participate again to next year's nutritionDay in November 2022! Repeated participation allows benchmarking and monitoring the nutrition care in your country. For more information visit www.nutritionDay.org or contact us at office@nutritionDay.org!

Best regards from the nutritionDay-Team!







I. Hospital capacity and staffing ("Hospital sheet")

	YOUR RESULTS	REFERENCE RESULTS
1. Total number of beds in hospital	734 [734-734]	375 [213-715]
2. Total number of admissions in the hospital last year	-	18870 [9512-38961]
3. Total number of staff in the hospital		
Total medical doctors	-	186 [90-417]
Medical specialists	-	124 [54-273]
Medical non-specialists	-	45 [19-116]
Nurses	-	440 [208-910]
Dieticians	-	5 [1-10]
Nutritionists	-	1 [0-5]
Pharmacists	-	8 [4-24]
Kitchen staff	-	32 [15-62]
Full time equivalent		
Total medical doctors	-	175 [76-394]
Medical specialists	-	121 [50-274]
Medical non-specialists	-	45 [18-138]
Nurses	-	380 [198-793]
Dieticians	-	5 [2-8]
Nutritionists	-	1 [0-3]
Pharmacists	-	7 [4-20]
Kitchen staff	-	30 [14-57]
4. Does the hospital have a nutrition care strategy?	-	439 (80.8%) Yes
5. Which nutrition-related standards or routine activities	exist in your hospita	l?
Nutrition training is available	-	391 (72.0%) Yes
Nutrition steering committee is available	-	328 (60.4%) Yes
Quality indicators are recorded and reported to national or regional level	-	229 (42.2%) Yes
Quality indicators are used for internal benchmarking	-	299 (55.1%) Yes
Patient feedback about food and food service is collected using a questionnaire	-	415 (76.4%) Yes
None	-	32 (5.9%) Yes
No answer given	1 (100.0%)	-

6. Which codes are available /routinely used in your hospital for billing and reimbursement purposes?

Codes available







Nutrition Support	-	296 (54.5%) Yes
Oral nutrition supplements	-	219 (40.3%) Yes
Parenteral nutrition	-	349 (64.3%) Yes
Enteral nutrition	-	327 (60.2%) Yes
Dietary counseling	-	232 (42.7%) Yes
Specific dietary interventions	-	178 (32.8%) Yes
Screening for malnutrition	-	195 (35.9%) Yes
Risk of malnutrition	-	160 (29.5%) Yes
Malnutrition (in general)	-	262 (48.3%) Yes
Severity of malnutrition (i.e. mild, moderate, severe)	-	251 (46.2%) Yes
No information available from billing/finance/controlling	-	104 (19.2%) Yes
No answer given	-	-
Codes routinely used		
Nutrition Support	-	264 (48.6%) Yes
Oral nutrition supplements	-	200 (36.8%) Yes
Parenteral nutrition	-	326 (60.0%) Yes
Enteral nutrition	-	310 (57.1%) Yes
Dietary counseling	-	208 (38.3%) Yes
Specific dietary interventions	-	160 (29.5%) Yes
Screening for malnutrition	-	162 (29.8%) Yes
Risk of malnutrition	-	138 (25.4%) Yes
Malnutrition (in general)	-	238 (43.8%) Yes
Severity of malnutrition (i.e. mild, moderate, severe)	-	218 (40.1%) Yes
No information available from billing/finance/controlling	-	115 (21.2%) Yes
No answer given	-	-





II. Unit organisation and structures ("Sheet 1a/1b")

	YOUR RESULTS	REFERENCE RESULTS
Internal Medicine / General	1 (7.7%)	20.5%
Internal Medicine / Cardiology	1 (7.7%)	4.3%
Internal Medicine / Gastroenterology & hepatology	1 (7.7%)	7.6%
Internal Medicine / Geriatrics	-	9.5%
Internal Medicine / Infectious diseases	1 (7.7%)	0.5%
Internal Medicine / Nephrology	2 (15.4%)	1.3%
Internal Medicine / Oncology (incl. radiotherapy)	-	8.0%
Interdisciplinary	1 (7.7%)	2.9%
Long term care	-	2.6%
Neurology	-	4.0%
Surgery / General	2 (15.4%)	14.5%
Surgery/ Cardiac/Vascular/Thoracic	-	1.8%
Surgery / Neurosurgery	1 (7.7%)	0.7%
Surgery / Orthopedic	2 (15.4%)	3.5%
Trauma	1 (7.7%)	0.6%
Ear Nose Throat (ENT)	-	1.4%
Gynecology / Obstetrics	-	1.6%
Pediatrics	-	0.4%
Psychiatry	-	1.0%
Others	-	13.2%
2. Number of registered inpatients at noon	22 [17-27]	24 [18-31]
3. Total bed capacity of the unit	35 [28-35]	29 [24-38]
4. Number of each type of staff in the unit for TODAY's	morning shift	
Fully trained		
Medical doctors	7 [4-12]	3 [2-7]
Nurses	3 [3-4]	4 [3-7]
Nursing aides	-	2 [1-3]
Dieticians	-	1 [0-1]
Nutritionists	-	0 [0-1]
Administrative staff	-	1 [0-1]
Other staff involved in patient care	-	1 [0-3]
In training		
Medical doctors	-	1 [0-3]
Medical students	-	0 [0-2]







Nursing aides	_	0 [0-1]
Dieticians	-	0 [0-0]
Nutritionists	-	0 [0-0]
Other staff involved in patient care	-	0 [0-0]
Other stall involved in patient care	-	0 [0-0]
5. Is there a nutrition support team in your hospital available?	-	936 (81.4%) Yes
6. Does the unit have a nutrition care strategy?	-	890 (77.4%) Yes
7. Is there a person in your unit responsible for nutrition care?	-	831 (72.3%) Yes
8. Is there a dietician, nutritionist or dietetic assistant available for your unit?	13 (100%) Yes	1155 (90.1%) Yes
9. Is specific staff responsible for providing feeding assistance to patients during meal times?	-	662 (57.6%) Yes
10. How do you MAINLY screen/monitor patients for malnutrition?		
At admission		
No routine screening	11 (84.6%) Yes	101 (7.5%) Yes
No fixed criteria	1 (7.7%) Yes	13 (0.97%) Yes
Experience / visual assessment only	-	85 (6.3%) Yes
Weighing / BMI only	1 (7.7%) Yes	193 (14.3%) Yes
Nutritional Risk Screening (NRS) 2002	-	455 (33.8%) Yes
Malnutrition Universal Screening Tool (MUST)	-	86 (6.4%) Yes
Malnutrition Screening tool (MST)	-	94 (7.0%) Yes
SNAQ	-	27 (2.0%) Yes
Other formal tool	-	218 (16.2%) Yes
I do not know	-	10 (0.74%) Yes
Missing	-	64 (4.8%)
During hospital stay		
No routine monitoring	5 (38.5%) Yes	120 (8.9%) Yes
No fixed criteria	4 (30.8%) Yes	101 (7.5%) Yes
Experience / visual assessment only	-	212 (15.8%) Yes
Weighing / BMI only	3 (23.1%) Yes	438 (32.5%) Yes
Other formal tool	1 (7.7%) Yes	378 (28.1%) Yes
I do not know	-	33 (2.5%) Yes
Missing	-	64 (4.8%)
11a. Do you routinely use guidelines or standards for nutrition care?	_	954 (85.2%) Yes







11b. If yes, which one is mainly used?		
International guidelines	-	266 (27.9%) Yes
National guidelines	-	148 (15.5%) Yes
Standards on hospital level	-	355 (37.2%) Yes
Standards on unit level	-	58 (6.1%) Yes
Individual patient nutrition care plans	-	111 (11.6%) Yes
Other	-	8 (0.84%) Yes
Missing	-	8 (0.84%)
12. What is routinely done in your unit for given patient groups?		
At risk		
Watchful waiting	-	355 (26.4%) Yes
Discuss nutrition care activities during ward rounds	-	572 (42.5%) Yes
Develop an individual nutrition care plan	-	675 (50.1%) Yes
Initiate treatment / nutrition intervention	-	739 (54.9%) Yes
Consult a nutrition expert (dietician, nutritionist, etc.)	-	739 (54.9%) Yes
Consult a medical professional	-	472 (35.1%) Yes
Calculate energy requirements	-	593 (44.1%) Yes
Calculate protein requirements	-	574 (42.6%) Yes
Malnourished		
Watchful waiting	-	252 (18.7%) Yes
Discuss nutrition care activities during ward rounds	-	614 (45.6%) Yes
Develop an individual nutrition care plan	-	739 (54.9%) Yes
Initiate treatment / nutrition intervention	-	797 (59.2%) Yes
Consult a nutrition expert (dietician, nutritionist, etc.)	-	729 (54.2%) Yes
Consult a medical professional	-	540 (40.1%) Yes
Calculate energy requirements	-	686 (51.0%) Yes
Calculate protein requirements	-	670 (49.8%) Yes
Every patient		
Watchful waiting	-	668 (49.6%) Yes
Discuss nutrition care activities during ward rounds	-	331 (24.6%) Yes
Develop an individual nutrition care plan	-	220 (16.3%) Yes
Initiate treatment / nutrition intervention	-	173 (12.9%) Yes
Consult a nutrition expert (dietician, nutritionist, etc.)	-	256 (19.0%) Yes
Consult a medical professional	-	267 (19.8%) Yes
Calculate energy requirements	-	166 (12.3%) Yes
Calculate protein requirements	-	148 (11.0%) Yes

Never







Watchful waiting	-	95 (7.1%) Yes
Discuss nutrition care activities during ward rounds	-	58 (4.3%) Yes
Develop an individual nutrition care plan	-	40 (3.0%) Yes
Initiate treatment / nutrition intervention	-	22 (1.6%) Yes
Consult a nutrition expert (dietician, nutritionist, etc.)	-	20 (1.5%) Yes
Consult a medical professional	-	124 (9.2%) Yes
Calculate energy requirements	-	120 (8.9%) Yes
Calculate protein requirements	-	139 (10.3%) Yes
I do not know		
Watchful waiting	-	70 (5.2%) Yes
Discuss nutrition care activities during ward rounds	-	49 (3.6%) Yes
Develop an individual nutrition care plan	-	43 (3.2%) Yes
Initiate treatment / nutrition intervention	-	37 (2.7%) Yes
Consult a nutrition expert (dietician, nutritionist, etc.)	-	39 (2.9%) Yes
Consult a medical professional	-	96 (7.1%) Yes
Calculate energy requirements	-	68 (5.1%) Yes
Calculate protein requirements	-	75 (5.6%) Yes
13. When do you routinely weigh your patients?		
at admission	4 (30.8%) Yes	878 (65.2%) Yes
Within 24 hours	2 (15.4%) Yes	203 (15.1%) Yes
Within 48 hours	2 (15.4%) Yes	74 (5.5%) Yes
Within 72 hours	2 (15.4%) Yes	32 (2.4%) Yes
Every week	1 (7.7%) Yes	631 (46.9%) Yes
Occasionally	-	153 (11.4%) Yes
When requested	8 (61.5%) Yes	707 (52.5%) Yes
At discharge	-	65 (4.8%) Yes
Never	-	12 (0.89%) Yes
I do not know	-	8 (0.59%) Yes
No answer given	-	64 (4.8%)
14. What do you do to support adequate food intake of patie		
Offer additional meals or in between snacks	3 (23.1%) Yes	1043 (77.5%) Yes
Offer meal choices	2 (15.4%) Yes	989 (73.5%) Yes
Offer different portion sizes	4 (30.8%) Yes	900 (66.9%) Yes
Consider food presentation	2 (15.4%) Yes	460 (34.2%) Yes
Change food texture/consistency as needed	6 (46.2%) Yes	1106 (82.2%) Yes
Consider patient problems with eating and drinking	9 (69.2%) Yes	1111 (82.5%) Yes
Ensure that mealtimes are undisturbed/protected mealtime policy	2 (15.4%) Yes	399 (29.6%) Yes
Promote positive eating environment	3 (23.1%) Yes	493 (36.6%) Yes
Consider cultural/religious preferences	8 (61.5%) Yes	999 (74.2%) Yes
Consider patient allergies / intolerances	9 (69.2%) Yes	1163 (86.4%) Yes







Other	1 (7.7%) Yes	101 (7.5%) Yes
I do not know	3 (23.1%) Yes	23 (1.7%) Yes
No answer given	-	64 (4.8%)
ŭ		,
15. Which nutrition-related standards or routine activities	exist in your unit?	
Nutrition training is available	-	772 (57.4%) Yes
Reporting of nutrition related information to hospital managers	-	544 (40.4%) Yes
Quality indicators are recorded and reported to national or regional level	-	422 (31.4%) Yes
Quality indicators are used for internal benchmarking	-	494 (36.7%) Yes
Patient feedback about food and food service is collected using a questionnaire	-	805 (59.8%) Yes
None	-	38 (2.8%) Yes
I do not know	-	59 (4.4%) Yes
No answer given	13 (100%)	196 (14.6%)
16. At admission what is asked and documented?		
Change in weight	-	985 (73.2%) Yes
Eating habits/difficulties	-	932 (69.2%) Yes
Nutrition before admission	-	746 (55.4%) Yes
None	-	20 (1.5%) Yes
I do not know	-	39 (2.9%) Yes
No answer given	13 (100%)	196 (14.6%)
17. On what forms is there a specific part about eating, nu	utrition or malnutrition?	
a. Patient Record has a section for		
indicating if the patient is malnourished or at risk of malnutrition	-	965 (71.7%) Yes
nutrition treatment	-	759 (56.4%) Yes
None	-	53 (3.9%) Yes
I do not know	-	40 (3.0%) Yes
b. Discharge Letter		
summarizes nutrition treatment received during stay	-	573 (42.6%) Yes
makes future nutrition-related recommendations	-	775 (57.6%) Yes
None		•
NOTIC	-	112 (8.3%) Yes
I do not know	-	` ,
	-	136 (10.1%) Yes
18. Do you provide brochures about malnutrition to at risk/malnourished patients?	-	136 (10.1%) Yes
I do not know 18. Do you provide brochures about malnutrition to	-	112 (8.3%) Yes 136 (10.1%) Yes 475 (44.9%) Yes 369 (27.4%) Yes







Dietician	-	641 (47.6%) Yes
Nurse	-	339 (25.2%) Yes
Physician	-	140 (10.4%) Yes
Administrative staff	-	22 (1.6%) Yes
Other	-	87 (6.5%) Yes
None	-	-
I do not know	-	16 (1.2%) Yes



III. Patient demographics, medical information & Outcome ("Sheet 2a/2b")

mir adone domograpinos, modical imormadon a oc	YOUR RESULTS	REFERENCE RESULTS
Total	151	24938
Age	47 [36-61]	67 [52-79]
Female	65 (43.0%)	12350 (49.5%)
Weight	69.1±18.8	70.6±18.8
Height	163±10	166±10
BMI	25.9±5.8	25.6±5.9
1. This beguital admission was		
1. This hospital admission was	44 /7 20/\	0007 /25 70/\
planned	11 (7.3%)	8897 (35.7%)
an emergency	140 (92.7%)	14095 (56.5%)
I do not know	-	1946 (7.8%)
No answer given	-	-
2a. Diagnosis at admission		
0100 Infectious and parasitic diseases	24 (15.9%)	2401 (9.6%)
0200 Neoplasms	4 (2.6%)	4540 (18.2%)
0300 Blood and bloodforming organs and the immune mechanism	7 (4.6%)	1745 (7.0%)
0400 Endocrine, nutritional and metabolic diseases	20 (13.2%)	3135 (12.6%)
0500 Mental health	3 (2.0%)	1229 (4.9%)
0600 Nervous system	16 (10.6%)	2384 (9.6%)
0700 Eye and adnexa	1 (0.66%)	314 (1.3%)
0800 Ear and mastoid process	2 (1.3%)	143 (0.57%)
0900 Circulatory system	29 (19.2%)	5456 (21.9%)
1000 Respiratory system	13 (8.6%)	3828 (15.4%)
1100 Digestive system	27 (17.9%)	6160 (24.7%)
1200 Skin and subcutaneous tissue	9 (6.0%)	1185 (4.8%)
1300 Musculoskeletal system and connective tissue	13 (8.6%)	4086 (16.4%)
1400 Genitourinary system	28 (18.5%)	2781 (11.2%)
1500 Pregnancy, childbirth and the puerperium	5 (3.3%)	294 (1.2%)
1600 Conditions originating in the perinatal period	-	55 (0.22%)
1700 Congenital/chromosomal abnormalities	-	57 (0.23%)
1800 Symptoms, signs, abnormal clinical/lab findings	1 (0.66%)	1374 (5.5%)
1900 Injury, poisoning	9 (6.0%)	699 (2.8%)
2000 External causes of morbidity and mortality (e.g. transport accidents, assaults)	27 (17.9%)	760 (3.0%)
2100 Factors influencing health status and contact with health services	1 (0.66%)	967 (3.9%)
No answer given	-	-

3. Which conditions/comorbidities does this patient have?







Cardiac insufficiency	9 (6.9%)	4815 (20.0%)
Myocardial infarction	10 (7.5%)	1295 (5.4%)
Chronic lung disease	4 (3.2%)	3095 (12.9%)
Cerebral vascular disease	3 (2.4%)	2104 (8.8%)
Peripheral vascular disease	4 (3.2%)	2576 (10.7%)
Chronic liver disease	2 (1.6%)	1387 (5.8%)
Chronic kidney disease	23 (17.7%)	2780 (11.6%)
Diabetes	26 (20.5%)	5493 (22.8%)
Cancer	1 (0.81%)	5291 (22.0%)
Infection	20 (16.1%)	3401 (14.2%)
Dementia	1 (0.81%)	1201 (5.0%)
Major depressive disorder	1 (0.81%)	1146 (4.8%)
Other chronic mental disorder	1 (0.81%)	1129 (4.7%)
Other chronic disease	13 (10.4%)	6182 (25.7%)
None	56 (37.1%)	4918 (19.7%)
4a. Previous operation during this hospital stay		
Yes, planned	-	4588 (18.4%)
Yes, acute	-	1540 (6.2%)
No	-	15619 (62.6%)
I do not know	-	235 (0.94%)
Missing	151 (100%)	2956 (11.9%)
Days since operation	-	4 [1-13]
4b. Planned operation during this hospital stay		
Yes, today or tomorrow	-	1928 (7.7%)
Yes, later	-	1364 (5.5%)
No	-	17466 (70.0%)
I do not know	-	777 (3.1%)
Missing	151 (100%)	3403 (13.6%)
5. Previous ICU admission during this hospital stay?	-	2367 (10.6%)
(Yes)		
6. Is this patient terminally ill?	-	1518 (6.1%)
o. is this patient terminally in?	-	1310 (0.176)
7. Fluid status		
Normal	127 (84.1%)	19053 (76.4%)
Overloaded	7 (4.6%)	1296 (5.2%)
Dehydrated	16 (10.6%)	1231 (4.9%)
I do not know	1 (0.66%)	3358 (13.5%)
Missing	-	3030 (13.370)
whoomig		







8. Number of different medications planned		
Oral	-	5 [2-8]
Other	-	2 [1-4]
9. Was this patient identified as malnourished or at risk	of malnutrition?	
Malnourished	5 (3.3%)	3162 (12.7%)
At risk	12 (7.9%)	4616 (18.5%)
No	133 (88.1%)	15318 (61.4%)
I do not know	1 (0.66%)	1842 (7.4%)
Missing	-	-
10. IV Fluids		
Electrolyte solution (NaCl, Ringers lactate, etc)	-	8176 (32.8%)
5% Glucose solution	-	2128 (8.5%)
		2 (2 2 2 2)
11. Number of ONS drinks planned	-	0 [0-0]
12. Nutrition intake		
Regular hospital food	79 (52.3%)	15131 (60.7%)
Fortified/enriched hospital food	10 (6.6%)	3290 (13.2%)
Protein/energy supplement (e.g. ONS drinks)	8 (5.3%)	4070 (16.3%)
Enteral nutrition	-	1106 (4.4%)
Parenteral nutrition	1 (0.66%)	1022 (4.1%)
Special diet	73 (48.3%)	7501 (30.1%)
None	2 (1.3%)	982 (3.9%)
13a. All lines and Tubes		
Central Venous	-	2136 (9.6%)
Peripheral venous access	-	11129 (49.9%)
Nasogastric	-	528 (2.4%)
Nasojejunal	-	115 (0.52%)
Nasoduadenal	-	82 (0.37%)
Enterostoma	-	100 (0.45%)
Percutaneous endoscopy/surgical gastrostomy	-	216 (0.97%)
Percutaneous endoscopy/surgical jejunostomy	-	91 (0.41%)
None	151 (100.0%)	11685 (46.9%)
13b. Were there complications with nutrition related		
lines and tubes since admission?		
Yes, previously	-	352 (1.4%)
Yes, ongoing	-	210 (0.84%)
No	-	18650 (74.8%)
I do not know	-	2030 (8.1%)
Missing	151 (100%)	3696 (14.8%)







14. Please indicate if any of the following was done for thi	s patient since admission	
Energy requirements were determined	-	8591 (38.5%)
Protein requirements were determined	-	7723 (34.6%)
Food/Nutrition intake was recorded in the patient record	-	9521 (42.7%)
Nutrition treatment plan was developed	-	8177 (36.6%)
Nutrition expert was consulted	-	8667 (38.8%)
Malnutrition status is recorded in the patient record	-	7448 (33.4%)
None	-	-
15a. Energy goal		
< 500 kcal	-	783 (3.1%)
500-999 kcal	-	194 (0.78%)
1000-1499 kcal	-	1956 (7.8%)
1500-1999 kcal	-	7632 (30.6%)
>=2000 kcal	-	2380 (9.5%)
Not determined	-	7419 (29.7%)
I do not know	-	1959 (7.9%)
Missing	151 (100%)	2615 (10.5%)
15b. Energy intake		
< 500 kcal	-	1316 (5.3%)
500-999 kcal	-	938 (3.8%)
1000-1499 kcal	-	2996 (12.0%)
1500-1999 kcal	-	5568 (22.3%)
>=2000 kcal	-	1218 (4.9%)
Not determined	-	7394 (29.6%)
I do not know	-	2893 (11.6%)
Missing	151 (100%)	2615 (10.5%)
16. Since admission, this patient's health status has		
Improved	-	11443 (45.9%)
Deteriorated	-	1219 (4.9%)
Remained the same	-	6079 (24.4%)
This patient has just been admitted	-	1466 (5.9%)
I do not know	-	2116 (8.5%)
Missing	151 (100%)	2615 (10.5%)
Length of hospital stay (days)	23 [11-37]	12 [6-23]
Outcome Code		
1= Still in the hospital	38 (25.2%)	2515 (10.1%)
2= Transferred to another hospital	1 (0.66%)	534 (2.1%)







3= Transferred to long term care	-	1049 (4.2%)
4= Rehabilitation	-	871 (3.5%)
5= Discharged home	108 (71.5%)	18594 (74.6%)
6= Death	1 (0.66%)	785 (3.1%)
7= Others	1 (0.66%)	410 (1.6%)
Missing	2 (1.3%)	180 (0.72%)
Readmitted since nutritionDay		
1= No	103 (93.6%)	16760 (76.8%)
2= Yes, same hospital planned	1 (0.91%)	1458 (6.7%)
3= Yes, same hospital unplanned	-	1363 (6.2%)
4= Yes, different hospital planned	-	114 (0.52%)
5= Yes, different hospital unplanned	-	114 (0.52%)
6= Unknown	5 (4.5%)	481 (2.2%)
Missing	1 (0.91%)	1471 (6.7%)



YOUR RESULTS REFERENCE RESULTS

	700K K200270	NEI ENENGE NEGGET
1. What are your typical dietary habits?		
No special dietary habits	-	15402 (63.5%
I am vegetarian	-	445 (1.8%
I adhee to a vegan diet	-	160 (0.66%
I eat gluten-free diet	-	204 (0.84%
I avoid added sugars	-	3626 (14.9%
I avoid carbohydrates	-	1383 (5.7%
I eat a low fat-diet	-	2463 (10.2%
I am lactose intolerant	-	809 (3.3%
Other special diet due to intolerances/allergies	-	416 (1.7%
Other	-	1608 (6.6%
No answer given	150 (100%)	2801 (11.5%
2. Where did you live before your current hospital admiss	sion?	
At home	-	19123 (78.8%
In a nursing home or other live-in facility	-	762 (3.1%
I was transferred from another hospital	-	1370 (5.6%
Other	-	330 (1.4%
Missing	150 (100%)	2674 (11.0%
3. In general, are you able to walk?		
Yes	-	13831 (57.0%
Yes, with someone's help	-	2252 (9.3%
Yes, independently using a cane, walker, or crutches	-	3228 (13.3%
No, I have a wheelchair	-	852 (3.5%
No, I am bedridden	-	1317 (5.4%
Missing	150 (100%)	2779 (11.5%
4. In general, how would you say your health is?		
Very good	-	1712 (7.1%
Good	-	7821 (32.2%
Fair	-	8148 (33.6%
Poor	-	3099 (12.8%
Very poor	-	710 (2.9%
Missing	150 (100%)	2769 (11.4%
5. Over the last 12 months prior to your current hospital a	admission approxima	ately
how many times have you seen a doctor?	_	5 [2-10
how many times have you been admitted to the hospital (Emergency room, any ward)?	-	1 [0-2







		u (
6. How many different medications do you take routinely	each day (prior to hospita	•
1-2	-	4416 (18.2%)
3-5	-	5773 (23.8%)
More than 5	-	6835 (28.2%)
None	-	3630 (15.0%)
I do not know	-	820 (3.4%)
Missing	150 (100%)	2785 (11.5%)
7. Do you have health insurance?		
Yes, private insurance only	-	3823 (15.8%)
Yes, public insurance only	-	11203 (46.2%)
Yes, both	-	2662 (11.0%)
None	-	2485 (10.2%)
I prefer not to answer	-	986 (4.1%)
Missing	150 (100%)	3100 (12.8%)
8. What was your weight 5 years ago?	-	72 [62-85]
I do not know	-	5440 (22.4%)
9a. Have you lost weight within the last 3 months?		
Yes, intentionally	15 (10.0%)	2202 (9.1%)
Yes, unintentionally	79 (52.7%)	9411 (38.8%)
No, my weight stayed the same	39 (26.0%)	7247 (29.9%)
No, I gained weight	6 (4.0%)	2760 (11.4%)
I do not know	11 (7.3%)	2195 (9.0%)
Missing	-	444 (1.8%)
9b. If yes, how many kg did you lose?	6 [4-9]	6 [4-10]
I do not know	41 (43.6%)	1851 (15.9%)
10. Did you know about your hospitalisation two days	-	8227 (39.7%)
before admission? (Yes)		
11. Please indicate if you		
were weighed at admission	-	12540 (58.3%)
were informed about your nutrition status	-	7803 (36.5%)
were informed about nutrition care options	-	7174 (33.6%)
received special nutrition care	-	6955 (32.7%)
12. How well have you eaten in the week before you were	admitted to the hospital?	
More than normal	13 (8.7%)	1099 (4.5%)
Normal	93 (62.0%)	14509 (60.0%)







About 3/4 of normal	7 (4.7%)	2651 (11.0%)
About half of normal	21 (14.0%)	3062 (12.7%)
About a quarter to nearly nothing	15 (10.0%)	2263 (9.4%)
I do not know	-	231 (0.96%)
Missing	1 (0.67%)	362 (1.5%)
	. (0.0.7.7)	
13. In general, how satisfied are you with the food at the h	nospital?	
Very satisfied	-	5394 (22.3%)
Somewhat satisfied	-	7204 (29.8%)
Neutral	-	4214 (17.4%)
Dissatisfied	-	1854 (7.7%)
Very dissatisfied	-	673 (2.8%)
I do not know	_	1694 (7.0%)
Missing	150 (100%)	3144 (13.0%)
meenig	100 (10070)	3111 (10.070)
14. Did you get any help with eating TODAY?		
Yes, from family or friends	-	2177 (9.0%)
Yes, from hospital staff	-	1475 (6.1%)
No	-	16830 (69.6%)
I do not know	<u>-</u>	282 (1.2%)
Missing	150 (100%)	3413 (14.1%)
Wilcomig	100 (10070)	0110 (11.170)
15. Were you able to eat without interruption TODAY? (Yes)	-	15256 (74.7%)
40- Plane in directs how week hospital food was sto for h	handhan dhan a TODAY	
16a. Please indicate how much hospital food you ate for I		44422 (40 00/)
About all	84 (56.0%)	11133 (46.0%)
1/2	33 (22.0%)	6143 (25.4%)
1/4	13 (8.7%)	3103 (12.8%)
Nothing	20 (13.3%)	2802 (11.6%)
Missing	-	996 (4.1%)
401 TI (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
16b. The portion size of the meal I ordered TODAY was		40700 (50 00()
Standard	-	13732 (56.8%)
Smaller .	-	2093 (8.7%)
Larger	-	1046 (4.3%)
I do not know	-	2302 (9.5%)
Missing	150 (100%)	5004 (20.7%)
17. If you did not eat everything of your meal, please tell u	-	
I did not like the type of food offered	27 (40.9%)	1945 (16.1%)
I did not like the smell/taste of the food	12 (18.2%)	1480 (12.3%)
The food did not fit my cultural/religious preferences	-	127 (1.1%)
The food was too hot	-	54 (0.45%)







- 5 (7.6%) (21.2%) 1 (1.5%) 5 (7.6%) - - 2 (3.0%) (12.1%) - (13.6%) hthe last 24 ho	281 (2.3%) 105 (0.87%) 1991 (16.5%) 3586 (29.8%) 716 (5.9%) 1383 (11.5%) 984 (8.2%) 740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
(21.2%) 1 (1.5%) 5 (7.6%) 2 (3.0%) (12.1%) - (13.6%)	1991 (16.5%) 3586 (29.8%) 716 (5.9%) 1383 (11.5%) 984 (8.2%) 740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
(21.2%) 1 (1.5%) 5 (7.6%) 2 (3.0%) (12.1%) - (13.6%)	3586 (29.8%) 716 (5.9%) 1383 (11.5%) 984 (8.2%) 740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
1 (1.5%) 5 (7.6%) 5 (7.6%) - 2 (3.0%) (12.1%) - (13.6%)	716 (5.9%) 1383 (11.5%) 984 (8.2%) 740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
5 (7.6%) 5 (7.6%) 2 (3.0%) (12.1%) - (13.6%)	1383 (11.5%) 984 (8.2%) 740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
5 (7.6%) - 2 (3.0%) (12.1%) - (13.6%)	984 (8.2%) 740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
- 2 (3.0%) (12.1%) - (13.6%)	740 (6.1%) 191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
(12.1%) - (13.6%)	191 (1.6%) 1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
(12.1%) - (13.6%)	1088 (9.0%) 733 (6.1%) 124 (1.0%) 1823 (15.1%)
(12.1%) - (13.6%)	733 (6.1%) 124 (1.0%) 1823 (15.1%)
(13.6%)	124 (1.0%) 1823 (15.1%)
,	1823 (15.1%)
,	, ,
the last 24 ho	lire
_	นเอ
	3 [2-6]
-	1 [0-3]
-	1 [1-2]
-	1 [0-1]
-	1 [0-2]
-	0 [0-1]
-	0 [0-1]
-	0 [0-1]
-	5831 (29.2%)
-	1820 (31.2%)
-	645 (11.1%)
-	896 (15.4%)
-	2357 (40.4%)
-	686 (11.8%)
-	272 (4.7%)
-	347 (6.0%)
-	795 (13.6%)
	1 00 (101070)
n?	
-	3329 (13.8%)
-	6808 (28.2%)
-	9055 (37.5%)
	1479 (6.1%)
-	5 (51 1 70)
	- - - - - - - -







21. TODAY I feel...

Stronger than at admission	83 (55.3%)	10558 (43.7%)
Weaker than at admission	25 (16.7%)	4610 (19.1%)
Same as at admission	38 (25.3%)	6833 (28.3%)
I was admitted today	2 (1.3%)	576 (2.4%)
I do not know	2 (1.3%)	1178 (4.9%)
Missing	-	422 (1.7%)
22. Can you walk without assistance TODAY?		
Yes	106 (70.7%)	14229 (58.9%)
No, only with assistance	16 (10.7%)	5989 (24.8%)
No, I stay in bed	27 (18.0%)	2912 (12.0%)
Missing	1 (0.67%)	1047 (4.3%)
23. Did anyone help you complete this questionnaire? (Yes)	-	13801 (65.2%)



		
	YOUR RESULTS	REFERENCE RESULTS
1. Are you COVID-19 positive TODAY?		
Yes	-	-
No	91 (60.3%)	-
I do not know	10 (6.6%)	-
Missing	50 (33.1%)	-
2. Have you been tested COVID-19 positive in the last:		
0-3 months	-	-
3-6 months	-	-
6-12 months	-	-
>1 year	-	-
never	-	-
I do not know	92 (60.9%)	-
Missing	59 (39.1%)	-
3. Have you been hospitalized during your COVID-19 infection?		
Yes	-	-
No	76 (50.3%)	-
I do not know	25 (16.6%)	-
Missing	50 (33.1%)	-



